


AVIATION

The Oldest American Aeronautical Magazine

MARCH 23, 1929

Issued Weekly

PRICE 20 CENTS



A Western Air Express tri-engined Fokker transport monoplane in flight.

VOLUME
XXVI

Special Features

NUMBER
12

Aviation in Siam
Location and Ownership of Airports
Ignition Shielding for Radio Operation

McGRAW-HILL PUBLISHING COMPANY, INC.
TENTH AVENUE AT 36TH STREET
NEW YORK, N. Y.

Entered as second class matter July 27, 1928, at the post office at New York, N. Y., under the act of March 3, 1879. Yearly subscription rates: Domestic, \$4; Canada, \$5. All other countries, \$6.

Phillips AVIATION GASOLINE CHOSEN

by National Parks Airways, Inc.



NATURAL GASOLINE FOR CONTROLLED VOLATILITY



PHILLIPS PETROLEUM COMPANY
BARTLESVILLE, OKLAHOMA

TRADE YOU for maximum AVIATION

Over mountainous Western country—facing sudden storms and rapidly changing temperatures, the National Parks Airways maintains regular and fast flying mail and passenger schedules.

Phillips Aviation Gasoline—known widely for safety of performance—is the fuel chosen for this great fleet of airplanes, because of its even distribution of vapors to all cylinders (no rich or lean ones)—because of ready and complete vaporization under all conditions—because of more power and speed, quicker take-off, faster climb and economy of operation.

Phillips appreciates the confidence expressed by the National Parks Airways in their selection of Phillips Aviation Gasoline.

Available at a steadily increasing number of airports.

THE RESULT of UNIFIED DESIGN - THE ARGO



In the pilot making the rounds for the perfect manageability of the Argosy we have a definite answer—unified design.


Designed in a new and bold style under the same roof, the Argosy airplane and the Pratt & Whitney Radial Engine make a perfect team.

Quick take-off, rapid climb, speed, and smooth in all, ease of handling—these make the Argosy an ideal plane for military operations, fast emergency service, and for the operator who wants a plane that will meet every demand that can be made upon it.



The ALLIANCE AIRCRAFT CORPORATION, Alliance, O.

TRADE YOU for maximum AVIATION




WHEREVER IT flies, the tri-color star of The Glenn L. Martin Company signifies to the experienced observer engineering supremacy, fine workmanship and unremitting care or—in one word—dependability.

THE GLENN L. MARTIN
COMPANY

Builders of Quality Aircraft since 1909
BALTIMORE, MARYLAND

GRANT, TOL. 12 ———— BALTIMORE



Look to Goodyear

Then you want to know anything about rubber for airplanes, and are being your questions to us. Here at Goodyear we have a veteran and capable corps of experts who appreciate the possibilities of rubber in airplane construction and equipment.

When metal, or wood, or fabric will not do, think of rubber. Rubber for gaskets, perhaps, or grommets, or vibration dampers, aircraft hose, tires and tubes, construction or whatever. No matter what you need—ask Goodyear.

Goodyear was "unmolested" when the Wright brothers first flew. Today, any help within the power of the world's greatest rubber company is at the service of aviation. Write, wire, telephone, or come personally, to put it up to Goodyear.

Accounts Department
GOODYEAR, AKRON, OHIO, OR LOS ANGELES, CALIFORNIA

GOODYEAR
EVERYTHING IN RUBBER FOR THE AIRPLANE

GRANT, TOL. 12 ———— BALTIMORE

STABILITY



The plane sketched is a Buhl Standard Airspeeder, six-place, dual-control, powered with a Wright Whirlwind J-6; high speed, 145 m. p. h.; cruising speed, 115 m. p. h.

THE ability to "ride out" the infancy of an industry, to contribute to its progress—that is the stability which makes for future as well as present leadership.

That is why the Buhl Aircraft Company is in the front rank today and is constantly forging further ahead. Its background of allied Buhl interests, for 95 years an integral part of American industry; its complete line of Air-

seders, in which airline operators, private owners and corporations alike find a plane to meet their every requirement in dealer plan as which factory co-operation and profit are assured, all combine to build an institution of unquestioned stability.

We shall be pleased to mail an illustrated catalog or to forward details of our dealer plan.

DISTRIBUTORS

CALIFORNIA
Fulton Hughes Aircraft
Glenn Field, Santa Monica

IN THE NORTHWEST
Mason Engineering
Spokane, Washington

OREGON
Johnson Flying Service
Astoria, Ore.

MASSACHUSETTS
Wright Service Aircraft
Company
Boston, Massachusetts

EASTERN CANADA
Monsieur Air Transport
Montreal, Quebec

Buhl Aircrafts will be exhibited in the All-American Aircraft Show, Detroit, Michigan, April 4 to 14, 1939

BULH Aircraft Company

REGISTERED, MINNESOTA

TRADE TON for marketing AVIATION

Specializing in Quality

THE production of alloy and special steels is handled by Bethlehem in a separate department with its own open hearth furnaces, rolling mills, metallurgists, and system of inspection and tests.

A department devoted exclusively to alloy and special steels and operated by specialists is, of course, a decided advantage. But more important is the fact that that department, as a unit of the Bethlehem organization, has unmatched facilities to draw on—raw material sources, metallurgical ability and, most valuable of all, a vast amount of steel-making experience.

You are justified in placing the utmost confidence in alloy and special steels made by Bethlehem. They are the result of specializing in quality.

BETHLEHEM STEEL COMPANY General Office: Bethlehem, Pa.

General Offices: New York, Boston, Philadelphia, Baltimore, Wash. D.C., Chicago, St. Louis, San Francisco, Los Angeles, Seattle, Portland, and Honolulu.

Bethlehem Steel Export Corporation, 18 Broadway, New York City
Sole Agents of our Commercial Products

BETHLEHEM

ALLOY and SPECIAL STEELS

TRADE TON for marketing AVIATION

THE

HISPO- WACO

Quick take-off
Rapid climb
High cruising speed
Low landing speed

The WACO powered by Hispano-Suiza 150 and 180 H.P. motor is demonstrating the same quality of performance responsible for the winning of the major air events during the past season.

The Hispo-WACO naturally has performance characteristics superior to that given by the faithful OX5. The typical WACO qualities—quick take-off, rapid climb, high cruising speed and low landing

speed—are amplified to a surprising degree in the Hispo-WACO. Yet the price is only slightly higher—approximately \$4,000 thoroughly equipped—ready for fly-away.

We believe that the Hispo-WACO meets a definite need at this time for a moderately priced commercial airplane having better than average performance characteristics combined with remarkably low maintenance cost.

Details and specifications on this and the other 1939 WACO models at your request.



Individuals or groups contemplating the buying of Aviation Clubs will be interested to know that this company is preparing a book on this subject. As the supply will be limited we suggest that you contact your local agent today.



THE ADVANCE AIRCRAFT COMPANY, TROY, OHIO



"ASK ANY PILOT"

TRADE YOU for something BETTER



Announcing The "O-2 Oriole"

A New High Performance Plane for the Private Owner

A Safe and Economical Ship for the Flying School

On Display to Thousands at the
Detroit Aircraft Show

Price \$2995.⁰⁰

A Deposit of \$500 Will Assure Early Delivery

Illustrated Booklet 3-A Sent on Request

DOYLE AERO CORP.

Office: 117 S. HOWARD ST. BALTIMORE - MARYLAND

Phone: 3102 ELM AVE.

Richard E. James, the American boy who won the \$2,000 prize offered by the American Society for the Propagation of Aviation for the first youth to fly the compass, used a Radio-Halske powered Travel Air. When he landed his flight at Curtiss Field, the Siemens "was still going strong."



"The Old Siemens is still going strong"

Thus Max Vola Gentry expressed his confidence in a dropped message clearly before snow and fog forced her to land after a five endurance flight of 5 hours, 5 minutes and 37 seconds.



SIEMENS ENGINES

in successful operation

IN ALL PARTS OF THE WORLD

K. G. FRANK

Consulting Engineer

75 West St., New York

General Representative of

Siemens & Halske A.G.



WACO—SIEMENS SM2 Engine



JUNCOERS—Siemens SM2 Engine

THANK YOU for maintaining AVIATION

AVIATION

The Oldest American Aeronautical Magazine

EARL D. OSBORN Editor

JAMES H. MCGRAW, JR. Publishing Director

H. SEYMOUR DOWNEY, JR. Managing Editor

LESLIE K. MEYER Technical Editor

JAMES F. WILSON Aviation Editor

HENRY F. POWELL News Editor

CHARLES H. GALE Assistant Editor

Vol. XXVI March 23, 1929 No. 12

Index to Contents

EDITORIALS	877
LOCATIONS AND OWNERSHIP OF AIRPORTS	878
NO DEMONSTRATION	883
THE "QUICK" MOVIEPLANE	884
EDITORIAL SUGGESTIONS FOR RAPID OVER-LOOK	886
AVIATION IN SPAIN	891
NEWS SUMMARY	894 to 900
BUYER'S LOG BOOK	900
SHIP SALTS	906
INDEX TO ADVERTISERS	933

MCGRAW-HILL PUBLISHING COMPANY, Inc.

Twelfth Avenue at 34th Street

New York, N. Y.

Only Address "MAGNETO, N. Y."

JAMES H. MCGRAW, Chairman of the Board
THOMAS M. JR. President
JAMES H. MCGRAW, Jr., Vice-President and Treasurer
RONALD J. SEIBER, Vice-President
HAROLD RAYTON, Vice-President
EDWARD RYAN, Vice-President
FRANK W. MCGRAW, Vice-President
C. E. CHRISTENSEN, Secretary

NEW YORK: Robert G. Hill, 80 Hudson Ave.
WASHINGTON: National Press Building
CHICAGO: 7 South Dearborn Street
PITTSBURGH: 100 Park Street
CLEVELAND: American Building
ST. LOUIS: 2nd Telephone Building
SAN FRANCISCO: 20 Mission Street
LONDON: 4 Beckett St., London, E. C. 4

Copyright, 1929, by McGraw-Hill Publishing Company, Inc.

SCINTILLA

Aircraft Magneto

Paris Dealer Service Stations

LOS ANGELES, CALIF.

Public Aircraft Corp.

1074 Avenue of the Stars

CHICAGO, ILL.

Chicago Auto Supply Co.

1011 Commercial Avenue

TOLSON, ILL.

Maple Street

NEW YORK, N.Y.

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

W. PAUL BRADY, ILL.

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

1011 Avenue of the Stars

Scintilla Aircraft Magneto are Standard
Equipment on Aircraft Engines
Built by

Aeromarine Corp.	Lycenair Mfg. Co.
Aircraft Engines Co.	MacClatchie Mfg.
American Curren	Canopy
Engines, Inc.	Nicholson Screw Co.
Aveline Machine	National Aero. Corp.
Company	Packard Motor Car
Brewer's Motor	Company
Laboratories	Pratt & Whitney
Continental Motors	Aircraft Co.
Corp.	Rocky Mt. Steel
Carlson Aeroplane	Prod., Inc.
& Mfg. Co.	Safety Aircraft
Kiehl Aircraft	Corp.
Corp.	The Alliance Air-
Kiefer Aeroplane &	craft Corp.
Motor Co.	Tigg & Smith, Inc.
LeBlond Aircraft	Vale Motors Corp.
Engine Corp.	Warner Aircraft
Light Mfg. & Fdry.	Corp.
Company	Weiss Aerosceti-
	cal Corp.

They Are Selected Because
of Their
Dependability Simplicity Accessibility

Scintilla Aircraft
Magneto can be ob-
tained for engines
of from one to
eighteen cylinders.

The majority of
SCINTILLA AIRCRAFT
Aeronautical Engines
are equipped with
Scintilla Aircraft
Magneto.



SCINTILLA MAGNETO CO., Inc.
SIDNEY - NEW YORK

Contractors to the U.S. Army and Navy

A wider range of WHIRLWINDS to spread a wider confidence!

More than ever Wright Whirlwind Engines offer an forward-looking plane manufacturers increasing greater possibilities for larger sales and wider satisfaction.

In offering the famous Wright Whirlwind Engines in three popular sizes, 230 H.P., 235 H.P. and 350 H.P., with 54% compression port in-cylinder injection, the advantages secured by plane builders are obvious. Smaller inventory and shorter repair and overhaul periods in service become the "edge" upon which sales are concentrated.

To those who like operators who are slow to the possibilities that lie in the normal incidence, quietest public acceptance, least taxonomic of service, shortest overhaul periods, and consequently greater profits, Wright Whirlwind powered transport planes insure a leadership in steady, reliable performance.

Behind Wright Whirlwind Engines stands a common sense Service Organization standing into every aviation center.

The public knows and trusts
Wright Engines



More power
to the wings
of the world

The first
name
in flying

WRIGHT

WRIGHT AERONAUTICAL CORPORATION, PATENT, NEW JERSEY, U. S. A.

Continental-Wright Engine Co., Ltd. London for Canada, Montreal

AUTHORIZED SALES OFFICES

See American, Inc., 1000 Fifth Avenue, New York

British-American Corp., Ltd. London, Eng.

See also the New York, New York



230 H.P. model
Wright Whirlwind
Engine

235 H.P. model
Wright Whirlwind
Engine

350 H.P. model
Wright Whirlwind
Engine

Only—Wright the
World's Dominant
Engine in the
Class of the Single
Cylinder of the Air—
with Confidence in
Reliability!



The Oldest American Aeronautical Magazine

Vol. XXVI

MARCH 23, 1929

No. 12

Fraudulent Advertising

EVERY publisher of reports scrutinizes his advertising pages to make sure that there is no wording therein which is obviously false, and no statements which are diametrically opposed to fact. On the whole, papers devoted to aeronautics have been very free from fraudulent advertising, and where such advertising has appeared it has usually been because the true facts had not been called to the attention of the publishers. The obtaining of the true facts is, however, often a very difficult matter, and even when the facts are obtained, there are times when it is a matter of opinion as to whether the advertising is really fraudulent and likely to deceive the reader.

For this reason the Publishers' Section of the Aeronautical Chamber of Commerce has adopted a committee which will gather information and establish policies with regard to advertising which appears to be doubtful in its nature. Meetings will be held periodically for the exchange of information and ideas, and it is to be hoped that the constant efforts of the publishers and the Chamber will maintain aeronautical advertising at a very high standard.

Those who have reason to believe that any advertising is fraudulent, or written with an intent to deceive, will help greatly if they forward their information to the Aeronautical Chamber of Commerce in New York.

Detroit Show Value

ACCORDING to present reports, the second annual All-American Aircraft Show, to be held in Convention Hall, Detroit, Mich., April 6 to 14, will be the largest and most elaborately staged aeronautical exhibit ever held in the history of the industry. Then the 69 aircraft manufacturers have contracted to show a total of 107 planes, and 121 engines, accessory and equipment manufacturers have agreed to take space, and will more or less be kept up before the doors are thrown open.

Such record breaking representation of American aeronautical activity might be expected as the result of an industry with four important factors in the holding of a successful national show. First, aviation and recognition was obtained. Second, financial success was attained in a previous attempt. Third, the sponsors, show managers and other cooperating individuals and organizations entered their various tasks in a thorough and businesslike way. And fourth, a date was selected when good flying weather the country over would be fast starting, and, incidentally, permit actual flight demonstrations at the nearest airport.

What will be the limit in the size and splendor of national aircraft shows is something which only the future will bring to light. Thus far, each national show has succeeded in surpassing its predecessor, not only from the standpoint of quality and quantity, but also from the

standpoint of actual dollars and cents value to the exhibitors and the aeronautics industry as a whole. In the early days aircraft shows were composed mostly of military products. Then little by little the commercial manufacturers began to make his appearance at aircraft displays, not so much with the idea of making individual plane sales, as with the idea of making it on the advertising value of such exhibits. From that stage the national air shows passed into an era of retail sales and distributor and dealer contacts.

That era is on the rise at present, particularly regarding the exhibiting and buying up of distributors and dealers. As has been mentioned before, the time of production has held the center of the stage since Lindbergh's flight, but now the time has arrived when the items of a national sales organization and a national servicing organization demand concentrated attention by all progressive manufacturers. Therefore, the coming Detroit Show offers a splendid opportunity for the manufacturer to strengthen the sales and distribution phase of his business. It is a foregone conclusion that the Detroit affair will be a financial success for its sponsor, but whether or not it will be a real financial success for the individual exhibitor depends entirely upon the effort exerted by the individual exhibitor.

Edward P. Warner

AMERICAN aviation has been singularly fortunate in the quality of the men who have been at the head of the government departments during the past few years. These years have been years of extraordinary growth and change, and the Government has had down pat men and established precedents which will greatly influence the course of aviation. Those in the industry will regret that these men have not all been aviators (during the past few years). We have become acquainted with them and they have become acquainted with us, and from that point of view the success has been a great one. It will take some time before a new relationship is established.

Edward P. Warner, who has resigned from his post as Assistant Secretary of the Bureau for Aeronautics, leaves his term of public office with his reputation upon a high and widely established basis when he left the post of the Massachusetts Institute of Technology. He has not only been throughout the nation and has inspired them with the dignity of his industry in aeronautical development and with the depth of his knowledge of the subject. He has done more than his share in spreading the gospel of aviation to the aeronautical and industrial circles of this country. He has willingly and effectively cooperated in every movement for the betterment of aviation and the benefit of his views has helped guide them along sound lines. We wish him the success that he deserves in his private life, and are sincerely sorry to see him leave his post with the Navy.

Location and Ownership of Airports

By ANDREW R. BOONE

CONSIDERABLE has been written during recent months concerning the necessity of re-examining existing airports in order to be re-presented properly as the growing map of air networks. Possibly less thought has been accorded to the matter of airport location and ownership. Facts who have had access to travel over the country will tell you that too many airports are crowded against hills, about rail tracks or poles bearing high tension lines, or generally are undesirable physically and geographically.

There is general agreement, I believe, that rather than sacrifice adequate space for "close in" lands of too little area, the port should be located at the farther point. The "close in" port definitely is desirable, but so is a large tract free from obstructions. Thus there is the matter of future traffic to consider. Today's airline and other aerial business cannot appreciate that of five or ten years hence.

There is no disagreement with the department of commerce recommendations for airport construction. These should be amplified and made more comprehensive, how-

ever. An airport should be not only constructed but also located and owned. These are the phases of the problem with which this article is concerned.

Department of Commerce representatives have preached through the length of the last three sessions an airport regulation. They constantly carry to legislators many messages of "adequate terminal facilities." As William P. McCracken, Jr., has pointed out, "there is no method of transportation more dependent on its terminal facilities for successful operation than is air transport."

"We arbitrarily state of the ownership of terminals as being vested in one or more of the transportation companies," he has commented. "This is true, generally speaking, of railroads, interurban and bus lines. When it comes to water-borne traffic, however, many municipalities have provided piers and docks and the harbor and exchange facilities are practically always owned by the public and available for general use."

"When air transportation first made its appearance in this country the capital of the operators was limited. They were therefore dependant, in a large measure, upon publicly-owned airports for their terminals, or else upon tracts of land on the outskirts of the community which they leased at comparatively nominal rentals. The result was that from the beginning there was a very strong inclination in favor of public ownership of air terminal facilities. This idea undoubtedly was born of necessity, but it can be supported by much sounder arguments, although, of course, there is nothing more compelling than dire necessity."

"Fortunately for air transportation, the air is free to all who will use it. While for purposes of communication and general public safety some cost will attach to maintaining rights of way, the large cost will center around the terminals. To date it has not been customary to grant certificates of air-

AVIATION
March 23, 1939

transport and necessity. Since franchises for operation in certain air lanes are not granted, the terminals, being public, have been made available to the public.

Manifestly these communities will profit best, in an air war, which give all air operators equal opportunities and avoid to monopolies at their airports. No community situated on a bay or river would turn over its water facilities to a single carrier. The same logic applies to air transportation. Then again public ownership or at least public control of airports seems an appropriate point.

In many towns through the country, especially in those regions not reasonably closely adjacent to such air centers as Los Angeles and New York, it is difficult to see that the public is fully aware that an airport is firmly established as an integral part of the nation's transportation system. If the case for public control of airports need be strengthened, these facts may help.

There are now approximately 4,000 airports owned by airlines in the United States. Less than one-eighth of these are owned by the air mail contractors and corporations operating on regular schedule. Approximately 2,000 airplanes are owned by individuals ready to furnish them for general use by the public. This includes such tasks as crop dusting, gun service, private yacht, regular transport, etc. Others are used for private purposes and recreation.

Because of the public nature of air transport and its growing public importance the government through its commerce department officials supports the statement that each community should have at least one airport centrally



North Island, San Diego, Calif., which is both an Army and Navy aviation base.


located (if possible) and publicly controlled. The Department of Commerce goes further than recommending public ownership and advocates municipal ownership. Manifestly, where possible, such an arrangement will serve the public good best.

The reasons for public ownership are obvious. While private owners may guarantee equal treatment to all users and more, there remains the possibility of such arrangements not being carried out. Failure of a private owner to keep such an agreement might bring real disaster to a community. This is not to be taken as an implied criticism of privately owned airports as presently conducted; it refers only to the matter of public policy.

Also, as Mr. McCracken has pointed out, "another objection to private ownership of airports is that there is always the possibility that the land will become more valuable to the owner for some other purposes and that



The Ford Airport at Dearborn, Mich., headquarters of Stout Air Services, Inc.



The figures "A," "B" and "C" are three layouts for landing fields. To obtain a "Y" rating for use from the Department of Commerce, the types "A" and "B" must measure 1,500 ft. For a "Z" rating, layout A must measure 2,000 ft. and layout C must measure 2,500 ft. for a "Y" rating, A and B must be 1,500 ft. and C, 2,000 ft. and for a "Z" rating, A and B should be 1,300 ft. and C, 1,600 ft. In both B and C, the landing strips, "Y," must be 300 ft. in width. The angle, "X," in B must not be less than 40 deg., and the angle, "Z," in C must not be less than 50 deg.

they might be persuaded to abandon it as an airport and turn it over to subdividers to sell. This has frequently been the case in the past, with the result that it immediately becomes more difficult to find a suitable location close to the business district.

"The development of large open tracts of land into airports, later to be subdivided and sold off, when the city's growth has made this profitable, offers many administrative failures to the real estate operator. He may perform a valuable service to aviation in making the land available for airport purposes, but the community should assure itself that what will become an increasingly important facility, will not be withdrawn when the land increases in value."

What communities of any size will come to, no doubt, will be systems of airports. They will carry on an all-day airport service and other operations not identified with passenger and freight transport, while at the central airport passengers and cargo will be taken aboard and discharged. Here starts the aviation extension that of a busy railroad terminal and its freight yards. On the other hand, if a community has a single airport available it must make the best of the situation.

As far as actual management is concerned, each municipality or other necessary must decide upon its own course. There can be little doubt that each should own its own part, but the question of management is relatively unimportant so long as fair treatment is accorded all.

Management of an airport presupposes the existence of an airport. A port cannot be made self-sufficient unless it is located at the proper place with area sufficient to permit operation of those classes of heavier-than-aircraft who will have business at that point. The larger planes require larger fields for take-up than do

small planes with lower landing speeds. Again the size and location of the held depend in a measure on the "load" it must carry.

A few years ago places on which planes landed were known as fields. The term "port" supplants "field" in all its applications. The city of the future will find its airports of its vital importance to its rail and water terminals. These locations then, therefore, are of exceeding importance. Lighter-than-aircraft require different fields and conditions than airplanes and, since for the moment we are concerned with the latter, thoughts expressed herein will be confined to ports for airplanes.

The rapid growth of aerial transportation during the past few years has developed the need of landing fields and airports in every community. All these communities want ports which are accessible to the cities they serve and since each town or city on a possible surface will want to be included as a stopping point, its citizens will be interested in a method of airport siting by which various areas under consideration may be compared.

Donald M. Baker, member of the Los Angeles Board City Planning Commission and a chief engineer of distinction, has enabled the problem of locating municipal airports is great deal. An airport, he points out, must be considered as more than a landing field for aircraft. It is a real terminal or port, equipped with all necessary facilities and facilities for handling the arrival and departure of aircraft, their passengers and cargo, storage and repair of planes and engines, refueling, etc., and must have all of the characteristics and amenities of any terminal as well as other features possibly incident to air traffic.

Before proceeding with methods of classifying airports, it should be recalled that the sites of an airport may be classified as follows: 1. The Federal government for mil-



The Los Angeles Metropolitan Airport when the "Queen Mary" and other Army planes were in the field

itary and naval planes, etc.; 2. Commercial transport organizations; 3. Owners of private pleasure and business planes; 4. Flying schools; 5. Owners of commercial and sight seeing planes; 6. Aeronaut associations and other industries.

In Mr. Baker's opinion, since aviation at present occupies the status of an "infant industry" operated in relatively small units, it merits public subsidy. "The acquisition, operation and financing of municipal airports," he says, "particularly when (actual) fees are charged for their use, is a most reasonable and logical form of local subsidy, and as air traffic increases in volume there is this question but that the municipal airport will become self-sustaining."

The primary reason for the acquisition of an airport by a municipality is the need for a major traffic terminal. In the aviation community all types of aeronautical activities may be concentrated upon one airport, in larger centers, if not now at least in the near future when the use of the air increases, it undoubtedly will be necessary to segregate different types of use, selecting one large site for a major traffic terminal, passenger and cargo operations and industrial field, etc., and one or more additional sites for the use of private commercial and sightseeing planes, flying schools and similar uses. The matter is one which must be left to the local authorities.

To the average layman or amateur, a suitable site for an airport so does consists of any large open area fairly level, ranging in size from 100 to 1,000 acres, located somewhere near the city and available in a price. On the contrary the selection of a site for an airport is a highly technical problem, involving the fields of aviation, city planning, transportation, meteorology, finance and law, and should be attempted only after thorough investigation and study.

Inasmuch as the capital outlay for land to be used for an airport site is considerable, and a proper location for the same will have much to do with the successful development of aeronautics generally, so Mr. Baker has pointed out, the small cost and even short delay incident to technical study and investigation prior to purchase, will usually be warranted.

When meteorological conditions vary greatly within a radius of 10 to 20 miles from the center of the community, it is desirable that a study of such conditions be carried on at all times under investigation for at least a year, securing data upon wind direction and velocity, visibility, occurrence of fog, rainfall, air conditions and related matters. If time is short a study of these elements for a period extending over a few months can be made and the results correlated with the data from U. S. Weather Bureau stations in the vicinity. Other factors

such as present and future accessibility, transportation, surrounding development, etc., may be investigated in a relatively short time.

As far as topography is concerned, the surface of the landing field should be flat or easily made so. Rolling or broken country is generally undesirable on account of grading costs. Experts agree that the surface should have a gentle slope to facilitate drainage, ranging from a maximum of 0.5 per cent, to a maximum of from 1.5 to 2.0 per cent. Slope must conform to the planes within the first few hundred feet after they leave the ground, open spaces to the windward of the airport are desirable for use as auxiliary landing fields. Land marks such as streams, channels, highways, railroads and topographical features which will readily identify the airport from the air as the strings fleet, and will assist the fender pilot in locating the field in bad weather, should exist.

As far as physical features are concerned, the site should be protected from overflow by flood waters and the surface of the landing field should be kept free from mud or standing water at all times. This requires a quick-draining soil of fine texture underlain by an open subsoil. Clay or other heavy soils may require expensive drainage systems.

It is generally agreed that high tension wires, buildings, poles and undesirable structures screen landing area are expensive to remove. Where a field is extensively used it will become dusty in dry weather if the soil is of a "friable" nature, and preventive measures are costly. If the site is located in open unincorporated country, neighboring will cause objectionable dust borne with landing poor visibility.

The landing area should be covered with turf or soil which will form a firm and water available for irrigation. Where the soil will not support such a growth, the landing strips must be covered with concrete, cobble, slag, gravel, asphalt or other suitable material.

Handicraft shops, hangars and administration buildings should be located in the forward of the field to insure planes to leave for flight with an idle ground track as possible, and should also be located adjacent to available transportation. If aviation is to become more popular with the average citizen he must become familiar with it and its incidental features. Another feature, too, has reached the same conclusion and adopted it previously by providing park space and other recreational features adjacent to their space on the Grand Central Air terminal between Cleveland and Los Angeles.

It is generally agreed that where all aeronautical activities of a community are to be concentrated on one airport, the site of at least 300 acres should be provided and more if a community is large and can afford it. If several



Chicago Municipal Airport the junction of a number of major air highways here.

sites are to be acquired, one from 300 to 700 acres should be allocated for use as the major air terminal and industrial field, and others from 100 to 250 acres selected for minor uses. In smaller communities where the use of the port will be limited to a site of from 250 to 400 acres may suffice.

From a purely economic point of view, it is better to acquire the great rural sites than small acreage on the outskirts land can be sold at an advance in price but seldom can be purchased after the airport is developed except at a prohibitive price.

Naturally a location where best weather conditions are offered should be selected. In locations where there is little variation in meteorological conditions within a radius of 10 to 20 mi, these conditions must be taken as fixed. Haze, dust, dust storms and smoke are objectionable. Fog is one of the greatest enemies. A glass must take off and land flying into the wind. Sites subject to quickly changing winds require great care in keeping the runways clear. Because of these factors mentioned, great care should be exercised in locating an airport.

A principal airport also should be located in such a position that flying over the residential section of a community can be kept at a minimum. Cities generally prohibit air travel except at relatively high altitudes over residential areas and this restriction will deprive the usefulness of any field located either within or near such an area or in the line of expansion of such development.

One of the most important considerations to bear in mind is that an airport should be located adjacent to surface transportation, close to rapid transit lines and to a major highway. Automobile bus lines, expressways, rapid transit facilities and are a feature of added value.

To be of maximum value, a municipal airport must be accessible to its community. Naturally air transportation will continue to be dependent upon the extent of that used over ground transport. Efficient air schedules

average about 100 mi an hour and before long these schedules will be improved materially.

For short distances between two points the time saved by air over rail transport at present is minor. Curves have been worked out to show that great savings occur only on long hauls, probably in excess of 500 mi. For passenger travel and 1,000 mi. for other cargo. The curves also show that undue weight often is given to the necessity of locating an airport close to the business center. Land values decrease in general with increase in distance from the center of the community. As Mr. Baker suggests, a careful study should be made of the relationship between the time saved through selection of a close site against the increased cost of such a location.

Naturally police protection and regulation should be available on the airport, and development of the surrounding area must be subject to such control as will prevent encroachment of the residential or industrial areas which will impair the operations of the flying A port and not be located within the political boundaries of a city, and adequate control can be maintained outside these limits.

Other thoughts with reference to locating a municipal airport are that any site considered should have available for use upon it electric power, water, fuel, telephone and telegraph connection and it should be readily accessible to supplies of gasoline, oil and other commodities. Facilities for fire protection should be made available.

Also, in order to afford a proper basis of comparison between different sites under consideration, and to evaluate one site as well as considering the advantages of a close site, consideration should be given to cost of land; cost of grading, leveling, surfacing, draining and filling; cost of removing hazards and obstructions; cost of bringing proper transportation and traffic facilities adjacent to site; cost of bringing necessary utilities adjacent to site; cost of providing adequate fire protection; cost of financing, construction, etc.

In his studies Mr. Baker has concluded that, according to a table arranged by him, any airport falling below the severity per cent rating would be unsatisfactory. Each site should be considered separately from each of the 10 metropolitan areas below and given a rating on the following basis: Excellent, 90 to 100%; Good, 80 to 90%; Fair, 70 to 80%; Unsatisfactory, Below 70%.

Little consideration should be given a site where factors "A" and "F" in the table below fall below 90 per cent, or factors "A," "C," or "F" fall below 80 per cent.

Since not all of the factors considered are of equal importance they are given different weights. Those given in the following tabulation are suggested as suitable for application where a single airport is to be selected and used for a major traffic terminal.

Factor	Weight
a. Topography	30
b. Physical features	24
c. Meteorology	14
d. Location with respect to community served	20
e. Transportation facilities	11
f. Accessibility	11
g. Legislative control	3
h. Utilities available at or near site	3
i. Cost	30
j. General desirability from all standpoints	30

Total..... 100

By multiplying the percentage rating given each factor for the site under consideration into the weight assigned that factor, and taking the total of the resulting figures, a final rating for each site can be arrived at. The weights given above may be varied somewhat, depending upon the use to which the site is to be put and similar matters.

AVIATION
March 23, 1939

AVIATION
March 23, 1939

No Demagnetization

*The Results of an Experiment Conducted Determining the Effect of
Booster Operation on the Service Magnets*

By T. Z. FIDIAN

Vice-President, Scintilla Magneto Co.

THESE appeared in the January 12 issue of the magazine "Aviation" an article by A. H. Parker, purporting to show, by tests he conducted, that the high positive energy from the booster magnet itself demagnetized the rotating magnet of the service magnets when the high tension energy was introduced through its booster circuit.

The following is presented to correct the impression, that may have resulted from the article referred to, that the rotating magnet could be demagnetized under such circumstances.

Referring to the diagram, it is not at all surprising that when the booster circuit of the service magnet "A" is used under abnormal conditions such as excessive plug gap, disconnected ignition cables or excessive compression ratio that the booster energy will back over from the booster magnet "B" to the service magnet "C," of the distributor cylinder "D" by way of the distributor block electrode "E," thence through the secondary winding "F" of the coil "K." The important fact is, however, that under these abnormal conditions the rotating magnet is not in any way affected.

The following demonstration was conducted, and we


again refer you to the diagram at the bottom of the page.

A twelve cylinder standard scintilla magnet "G" was operated at a speed of 3,500 r.p.m. producing approximately 235 sparks per second. The twelve leads of this magnet were connected to the high tension outlet "H" of the coil "K" of a rear cylinder standard scintilla magnet "A," which was driven at a speed of approximately 300 r.p.m.

The rotating magnet "L" of magnet "A" was measured to determine its magnetic strength before it was submitted to this demonstration. After five hours of continuous operation of this setup, the rotating magnet of magnet "A" was again measured and showed no loss of magnet strength.

In the light of a subsequent investigation, it was found that approximately six times the energy of magnet "G" would be required to cause any appreciable demagnetization of the rotating magnet.

Naturally at the inception of the design of the magnet under discussion, it was determined that the cross-sectional high tension energy close to the booster magnet to facilitate starting at the engine could not cause demagnetization.



The "Oriole" Monoplane

Low Speed Powered, Tandem Cockpit, Parasol Type Craft Was Designed for Sports and Student Instruction Purposes

DESIGNED and produced to meet the demand for a general purpose plane for private ownership and school use, the "Oriole," a monoplane, developed by Doyle Aero Corp., Baltimore, Md., embodies several interesting features.

The Oriole is a tandem cockpit parasol type powered with a Lilland 60 aero-cord engine.

During a period of test flights extending over several months, the Oriole has given a proof of excellent flying characteristics. Its freedom from dangerous tendencies in flying and its rugged construction make it particularly adapted to use in instruction. Several courses in flying were given in this type of plane during the past winter.

The Oriole has a wing span of 35 ft. and a length of 19 ft. The weight of the plane empty is 780 lb. and the gross weight loaded is 1,280 lb. In tests the plane developed a high speed of 100 m.p.h. and the landing speed is 44 m.p.h.

The fuselage structure is of seamless steel tubing welded at all joints to form a single unit. All major fittings are located in a center line, a guarantee that no surfaces, struts, landing gear, etc., are interchangeable. An unusual departure is found in the exhaust structure which is welded direct to the fuselage and designed to take the loads that ordinarily go through the left top longeron, the latter in this case being cut out for the door. The welded steel tube type of construction affords maximum safety in accidents, is easily repaired and will last indefinitely with proper care. All major joints and fittings are sufficiently over-strength to withstand without damage severe accidents to wings, tail surfaces or landing gear. The fuselage structure is fitted to a good streamline form with sheet aluminum and the whole fuselage is covered with fabric. Easy access to the front seat is insured by a large door opening the full depth of the fuselage. In the event of a nose over, the exhaust structure is designed to carry the full load of the airplane with as ample margin

of safety. Both cockpits have been kept as clean as possible. The control wires and the rudder are kept within the side struts and the torque tube between the struts is under the floor. Dual control wheeling sticks, rudder pedals, and throttles are standard equipment. Other act of controls can be quickly disconnected. The sides of the fuselage and the seats are well upholstered and the latter have cushions that can be removed when necessary to be used. A full set of instruments is standard in the rear cockpit with an altimeter only in the front seat. When the plane is to be used for school work, a full set of instruments can be included in the front board.

The engine cooling is in two sections held in place by automatic type lugs. The landing gear is built in a jig to insure a true fit. It is of welded chrome molybdenum steel tubing with the outside structure filled with fabric. Rubber cord shock absorbers are used. The axle struts with eye bearing at the top, is the only moving part of the gear. It is also of chrome molybdenum steel and is heat treated. Wheels are constructed with special alloy discs. Tire sections are also jig built. Tubing is used for front and



rear, the exhaust rigidity in the subeased portion of the wing. An aluminum tube gives the wing its elliptical shape in the root of each wing there is a 125-gal. welded gasoline tank with shut-off valve which it can be conveniently reached from the cockpit. These two tanks are of great value as a safety feature. In take-offs and landings, for Army practice of turning on both tanks is recommended. In flight one tank can be turned off and held in reserve. Wing struts are of large diameter steel tubing filled with balsa wood.

The standard color is black and the special Doyle Aero yellow. Other color schemes can be had on special order. Heavy Brothers' dopes and lacquers are used throughout and are applied by the new Berry Brothers' process. The Oriole was designed by Harvey Doyle, who it may be remembered designed the "Austrian Moth" of 1928. Raymond J. Crowley of the University of Detroit is in charge of stress analysis and general engineering work. Wilbur K. Doyle has assumed the duties of general manager of the new company. He has acquired several men with whom he was formerly associated. Robert Paddock is representative of the new plant and Deane Cussey is



Top and Bottom: Two views of the Low Speed powered Oriole Monoplane. Left: The well streamlined nose of the plane showing the exhaust ring installation.

in charge of the wing department. Production is now going forward in a small but modern plant, with carefully selected men who have had much experience in this particular field of aircraft work. An adequate knowledge of machinery has been installed and complete sets of accurate and carefully made jigs are proving their value in speedy final assembly with all parts fitting freely.

The general specifications as supplied by the manufacturer are as follows:

Span	35 ft.
Wing area	355 sq. ft.
Length	19 ft.
Weight, empty	780 lb.
Weight, loaded	1,280 lb.
Flight speed	100 m.p.h.
Landing Speed	44 m.p.h.
Power plant developing	65 hp. at 1,350 r.p.m.
Fuel consumption	5 gal. per hr.
Fuel capacity	25 gal.
Oil capacity	3 gal.



Line drawing (top) and side view (right) of Oriole Monoplane

rear spars and ribs are formed of sheet steel. A spring tail skid is used requiring little attention in service.

The wing is made in two panels joined at the cabane. A quickly removable metal fairing strip covers the opening. Spars are of selected spruce, the rear ones have a full rectangular section while the front one is rounded between fittings. Ribs are built up of spruce strips with reinforcing plywood gussets which are glued and nailed in place. The true contour of the leading edge is maintained by a thin sheet of duralumin covering the whole area forward of the front spar. The streamlined drag strut is a welded steel tube truss with fittings for the conventional hand internal drag bracing. Double drag wires are used and have been kept as far apart as possible to in-



Ignition Shielding for Radio Operation

By LAWRENCE A. HYLAND

Radio Engineer

UNTIL recently, the sensitivity of the receiver which might be employed on aircraft had not been increased appreciably since 1918. While several factors have contributed to this surprising situation, the interfering cause has been the electrical disturbance caused by the engine ignition system.

The elimination of this disturbance has been attempted with little success by many organizations during the last decade. The chief difficulty has been, not the elimination of the interference, but the achievement of some method which would solve the problem without impairing the efficiency of the ignition system or unduly increasing the weight or space required for the radio receiver.

Known as "ignition interference," this disturbance produces in the phones a crackling noise very similar to strong steady summer static. Ordinarily the sensitivity of this artificial static is such that the required signal must be many times in excess of necessary to overcome external noise. Another result of ignition interference important in aircraft telephony is the distortion of the detector output which causes wave reception to be garbled badly.

A brief analysis of the ignition system from the viewpoint of the radio engineer will assist in the formation of a true picture of the problem. Aircraft are propelled by gasoline engines which employ an electric spark to ignite the compressed gasoline mixture in the cylinders. To produce the spark, a high tension magnet or equivalent is used. In the usual case a breaker in the primary circuit of an induction coil is opened when the current in the coil, due to the position of the magnetic inductor, is at a maximum. The sudden break causes the lines of force around the coil to collapse rapidly and a potential is built up in the coil secondary sufficient to break down the gap between the electrodes of the spark plug to which the secondary is connected.

The schematic representation of the secondary circuit shows each spark plug and its connecting wire to contain all of the elements of a simple spark transmission. The high tension wire has some inductance due to its length and considerable capacity to ground, while the plug may be classed as an ordinary open spark gap operating under pressure. Each of the cylinders having two valves opens an arc igniter periodically goes through the cycle of events which centers in a spark transmitter when the key is depressed. The capacity is charged to the point at which the gap breaks down, current flows in the ionized gap, and in one direction until the energy is completely determined by the circuit constants. When the losses through energy dissipation reduce the potential in the oscillating circuit to a point below



Top: An internally welded spark plug. Bottom: Specially wrapped high tension lead finding a shielded plug.

that which is necessary to maintain current flow across the streamer, but nevertheless high resistance gap, oscillation ceases but a D.C. arc is sustained by the secondary discharge persists for some time.

The oscillations of a spark system, particularly of an open gap system, are of a vicious character. The high damping of the radiated wave causes every circuit in the vicinity, regardless of its frequency, to be excited by impact. This, together with the substantial amount of power radiated by the airplane ignition system, causes severe local interference which, in not unusual cases, may be heard at ground stations for distances up to a few miles, especially if the receiver be tuned to the higher frequencies.

Another circumstance affecting the problem is the variable nature of ignition interference. No two planes of the same type seem to have identical interference phenomena. There is some evidence that standing waves are set up in parts of the airplane structure which, if true, would explain much of the variation. Even similar engine installations do not produce similar interferences though this can be explained by slight differences in high tension wire position, cylinder compression and gap distance. The variable nature of ignition interference cannot be stressed too highly. Certain general types of aircraft which seem to have all of the elements common in planes showing normal amounts of disturbance are apparently free from interference. Other types in which the structure and wiring appears to be favorably disposed and which, therefore, should show a

very low interference level are actually very bad. Hence a comprehensive study of ignition interference phenomena cannot be carried out as a single plane or on a single type of aircraft, but must be pursued on several of each of the general types of airplanes in use.

To complete the picture there must also be considered an interference of another nature called atmospheric noise and radio caused by vibration, but which is frequently confused with ignition noise. Microphonic noise appears in concentrated form in most of the military and many of the commercial types of aircraft and may be transmitted to the receiver through the structure of the plane, or by the medium of wing sound waves which strike the case of the receiver (in the latter case the loss often acts as a resonator with a further increase in the amplitude of the disturbance).

Several years ago it became evident that the existing receiver sensitivity was inadequate to the demands of the Naval service, particularly for the long range scouting planes, and for direction finding from all types of aircraft. Consequently the Naval Research Laboratory was directed to make an exhaustive investigation of the possibilities which might lead to the reduction of ignition interference preparatory to the design of more efficient receiving equipment. Before the reports of previous investigations indicated that widely diverse results had been obtained with substantially identical equipment it was decided to repeat many previous experimental efforts as well as to develop new line of inquiry.

It soon became evident that some standard of comparison must be set up. There was little quantitative or comparative evidence available which gave an estimate of the amount of interference usually experienced or which differentiated between interference due to ignition or to microphonic noises. Accordingly a very simple and compact type of vacuum tube voltmeter was developed which was called an "ignition meter." Since the function of the voltmeter was to measure the amplitude of the signal impressed on the ear, the instrument was designed and calibrated to indicate voltages substantially proportional to the frequency response curve of the ear. Thus between 500 and

1000 cycles the indicated voltages are true but at the higher and lower frequencies the voltages are attenuated below reaching the indicating device. Plotted in parallel with the phones the meter gives an accurate measure of the sound impressed on the ear by the headphones.


Through the use of the ignition meter it was made possible for the first time to arrive at a true estimate of the various radio disturbances encountered in flight, to ascertain the very high values which these interferences might reach, and to make ground setups which would very nearly duplicate flight conditions.

The reduction of ignition interference and the elimination of static are two problems which have many common attributes. In the latter field an enormous amount of research has been carried out, hence there was some magic of the interference of the engine having to do with the suppression of static.

There are, of course, many methods by which radio disturbances of all kinds may be reduced. The more successful schemes are mostly bulky and heavy and severely unsuited to aircraft conditions. Those which could be adopted in any way to the demands of the problem we investigated, in particular the various kinds of wave traps, tuned circuits, counterpoise systems and balanced circuits, were tried but, however, was derived from any of these arrangements. The highly damped wave radiated by the ignition system is of a character which readily excites any circuit by impact regardless of traps and tuning.

With respect to the methods for the reduction of interference it may be stated that the problem is nearly identical with that met with in static suppression. Not only are the interfering waves of the same form but they emanate from a variable source. It is always possible to balance out the radiation from a single spark plug and its connecting wire. But as airplane engine may have from eight to twenty-four or more spark plugs and high tension wires each of these is radiating at its own frequency, at its own intensity, and from its own position. Therefore, each plug and wire must have its own neutralizing system, a most complicated task which cannot be met.

Thorough shielding of the receiver system is of no benefit; the



A Wright J-5 engine having magnets and switch caps, brush and shielded spark plugs to replace standard horns.

suppression of ignition noise. Previously all of disturbing pickup in made through the medium of the antenna. A very small percentage is attributable to the use of incomplete receiver shielding, uncovered batteries and connecting batteries. It is unsatisfactorily impossible to shield the antenna so that shielding of the receiving system offers no appreciable gain.

Though little success was anticipated, it was deemed advisable to tune the ignition system to definite radio frequencies in the hope that such accurately tuned antennas might be trapped out or neutralized more easily. Accordingly the ignition system was adjusted to several frequencies in the high and

intermediate frequency spectrum and the balancing and trapping investigations repeated. Again no improvement was noted and radio frequency balancing and trapping was definitely abandoned.

The previous work having been concentrated entirely with the radio frequency circuits, detector action was next assumed. It soon appeared that the direction of the detector output is occasioned by the high peak voltages due to ignition wave form. Re-



Top: Shielded lead tension wire. Bottom: Cable harness used by the Libbey Manufacturing Co.

pecially in the case of grid leak and condenser detection are these peak voltages damaging for the condenser receives a charge which is slow to leak off and the tube is momentarily blocked. Distortion is somewhat corrected by the use of comparatively low resistance grid leaks, but the sensitivity of the receiver is much impaired. Even with detection by plate rectification the voltage peaks are such as to cause the tube off its operating characteristics and distortion results, though of lesser degree than with normal grid leak and condenser detection.

The amount of radio frequency amplification and the operation of the detector tube are the criteria of receiver sensitivity. Thus it may be seen that the foregoing work resulted in no means for the suppression of ignition interference, or of the effects of ignition interference, which would also increase receiver sensitivity. The amount of radio frequency amplification permissible was determined by the limiting detector peak voltage input which could be handled without distortion.

In the operation of standard naval receivers through conditions of radio and static interference it has been found desirable to use tuned audio frequency circuits. An adaptation of the standard Naval equipment was applied to an aircraft receiver and proved to be surprisingly effective. Low frequency disturbances, whether of electrical or vibrational origin, were almost entirely suppressed with but little loss in the strength of the desired signal. The required sharpness of tuning limits the use of the device to radio telegraphic or fixed audio frequency modulation reception at the source would, by reason of its audio frequency selectivity, make telephone signals unintelligible. More recently the Bureau of Standards in its beacon receivers has found its visual read indicators used in connection with the radio beacon, will function when the beacon signal is only one-tenth of the total disturbance. This is entirely in line with the results of Naval practice as the vibrating reeds are a mechanically tuned audio system.


The work reported on above completed the first phase of the investigation into ignition interference, and led to the following conclusions:

- (1) That shielding the radio receiver was of no benefit.
- (2) That the use of an insulated counterpoise was not warranted.
- (3) That any means of suppression in the receiver radio frequency circuits was not feasible.
- (4) That detector distortion imposed a definite limit on receiver sensitivity.

(1) That tuned audio frequency systems formed a satisfactory means for the suppression of the disturbances which had passed the detector.

Turning now to the other side of the investigation which had to do with those remedies to be applied to the engine ignition system. Shortly before the commencement of this phase of the work a paper appeared in a German technical publication outlining the specifications for a type of high tension lead which would completely eradicate the evils of ignition interference. The scheme comprised the substitution of lengths of coated or rusty chain for the usual ignition wire. An extended mechanical analysis of the method proved that complete suppression could be obtained. Following the directions a harness composed of lengths of rusty chain was prepared and installed. At the conclusion of the tests it was admitted that there was entire suppression of the interference. For one there was no engine exhaust noise during the tests. In fact, there were no disturbances of any kind other than those experienced by the mechanics when the engine would fire. It started and brought up to speed with an ordinary harness on one set and the motor would stop immediately when the chain harness was switched on.

The suggestion was, however, used as the basis for an extensive study of methods for damping out the



Top: A Libbey high tension shielding unit for Curtiss D-12 engine. Bottom: A radio shielded high tension ignition harness for a nine cylinder radial aircraft engine.

oscillating component of the ignition current. The results from all methods were very uniform and may be summarized by stating that in cases where reduction in ignition interference is accompanied by a corresponding reduction of ignition current with consequent decreased engine reliability.

Having demonstrated that the conductance of the ignition system should not be tampered with, attention was turned to shielding. That shielding would suppress ignition interference was common knowledge. That shielding must be done in an temporary expedient which frequently caused ignition failures was also common knowledge. Study of the situation disclosed, however, that the judgments on shielding had been pronounced years ago when the making of the airplane ignition system was vastly different from that which now exists.

Practically all of the early shielding efforts were conducted on the Liberty engine which has a notorious weak ignition system, though one which was a marvel of its day. The output of the Liberty coil secondary is barely sufficient to send a spark across the gap in the plug under ideal conditions. If an additional capacity is introduced in the form of a light metal shield over the shielded ignitron, there were too much capacity diverted to the charging of this new capacity and no spark would jump across the gap in the plug. The Army in its efforts to

overcome this situation designed a large metal duct which carried all of the high tension wires. The capacity between the wires and the duct was much lower than with unshielded shielding and better operation was obtained. The arrangement was bulky, heavy and difficult in maintenance and quite unsuited to flight conditions.

Ignition wire insulation was extremely poor in quality compared with the present products of the cable manufacturers. Nearly all of the types employed rubber of varying degrees of purity with no protective covering. Under the harshest conditions insulation breakdown was frequent and with metal shielding offering a good path to ground throughout the length of the wire, insulation troubles were greatly multiplied. As the assets where corrosion developed, the poor grade of rubber was rapidly oxidized with subsequent cracking and ultimate breakdown.

Modern high tension wire is a much superior article than that described above. The insulation is composed of the finest rubber carefully compounded and controlled in production, with a covering composed of a layer or two of varnished canvas or lacquered cotton braid. These outside elements not only give mechanical protection but also have the property of corrosion proofing the wire. With tight metal shielding applied over these wires were having high grade insulation there have been no breakdowns in hundreds of hours of operation.

Magneto ignition is almost universally employed



at the present time. The usual high tension magnets of sound design has a large power reserve and the added capacity of the wire to the shunting actually results in a better spark.

These facts have been assumed and demonstrated, ignition shielding demands worthy of a new trial. An installation was made and from the ignition standpoint the results were all that could be desired. After a hundred hours of flight time no noticeable deterioration of the mechanism had taken place, the shunts are actually adding to the life by reason of the better mechanical protection it afforded.

From the radio standpoint the results were not at all successful. Little, if any, decrease in the interference was noted. During the test the entire ignition system including the magneto, low and high tension wiring and switch, but excluding the spark plugs, was shielded. Since the investigators had shown that external leaks could be obtained only from a completely shielded system, including the spark plugs, the test was not to be called an entire failure but merely corroborative of earlier results. Pending the development of a practical method of shielding the one remaining offender in the ignition system, the spark plug, the metal covered wire was left on the plane due to life test.

An examination of the art will disclose that there have been many shielded spark plugs or spark plug shields. These history dates back to the first application of metal covers when shields were applied to keep water off the plugs. They grew to the present investigations all shielding methods for spark plugs were no flimsy or bulky as to preclude their use on engines in flight, or else lacked the necessary electrical shielding and heat resisting properties absolutely essential in high compression engines with powerful ignition systems.

The fundamental idea for the first practicable type of shielded spark plug was original with engineers in the aircraft section of the Naval Research Laboratory. Upon disclosure of the design, the Navy, under an experimental contract, authorized the B. G. Corporation to proceed with the construction of engine samples to supply.

Since only a slight modification of the standard plug was required the special plugs were quickly available and were at once installed on an engine.

The plug chosen for the sample shielded spark plug was one in which demonstrated abnormal ignition interference had not been materially changed by the application of the metal shielding. With the addition of the shielded plugs however, the ignition interference was entirely suppressed.

In checking the performance of these plugs the most sensitive of the meters available at the Naval Research Laboratory were installed on the airplane and in no case was ignition interference identified. As a result that a representative high frequency receiver was employed and the receiver tuned to the natural frequency of the ignition system. This represented the theoretical worst condition which might ever be



A plug shield for engine having metal elements around the plug

met with in aircraft radio operation. Again the complete shielding and shielded spark plugs proved to entirely suppress the ignition disturbance.

Flight work with the complete shielded ignition system proved that entirely new standards of radio performance could be achieved and that the range of engine radio receivers was increased 300 per cent.

An interesting verification of the effectiveness of the shielding was made by removing a single shielded plug and replacing it with an ordinary plug, taking care to leave unremoved the shielding around the ignition wire. The result was quite marked, a popping sound at intervals corresponding to the firing of the single unshielded plug being heard in the plane.

Many of the original samples of shielded spark plugs, while now obsolete are still in the engine and racing world. Slight defects in original arrangements developed while using racing engines in which were or are being corrected. The present status of the shielded spark plug is one of absolute practicality. Few, if any, changes in the basic design are necessary to permit of its production in quantities.

As a by-product of the radio interference elimination these shielded spark plugs and their terminals will be waterproof and by reason of the largely increased surface area will allow for the spark's plug engineer entirely new possibilities for coating.

The elimination of ignition interference, therefore, demands that the entire ignition system be enclosed in a metal shielding, a requirement that becomes essential if the newer receivers with their increased performance are to be utilized. Fortunately, it is now comparatively easy to apply and to maintain shielding. In many cases the engine manufacturers are supplying complete shielding of all units save only the spark plugs. Forward looking cable, manifold, harness are in the market with complete shielded high and low tension wire, magneto manufacturers are treating their products in metal with provision for fitting to the metal shielding, switch mechanism is being covered for ends for the switches and new designs of engine starters include a booster magneto which can be shielded readily. Rapid development assures that shielded plugs will be available within a few months.

It should be emphasized that no one sort of the shielding is more essential than another. Any wire or device in any way connected to the ignition system must be shielded as the entire system is vulnerable for the suppression of ignition noise. A single unshielded plug will introduce undesirable lead popping noise in the receiver while a neglected booster lead will cause a great deal of interference to be impressed on the operator's ears. On the other hand, such electrical parts of the aircraft as lighting and other auxiliary wires carried from a separate battery or generator may easily be left unshielded provided these leads do not run parallel to the ignition wires for material distances.

This investigation has provided a rich fund of information on many phases of aircraft radio reception. The excellent characteristics of the aircraft shielding method applied are better appreciated.

For the elimination of vibration noises have been developed, and the causes and effects of air fatigue carefully examined. With the chief disturbance eliminated in aviation today, the air is now confidently expected that aircraft receiver performance will shortly be comparable to that obtained on the ground with heavier and bulkier equipment.

Aviation in Siam

Splendid Market for Planes, Engines and Accessories Is Opened By Air Development in This Eastern Kingdom

By ANDREW A. FREEMAN

THE idea of an efficient air force is inseparable with the peace which the average citizen craves in his mind of Siam. Soldiers, Siamese towns and what elephants do not belong on the same narrow strips the modern trend is to get out of place in modern times, but the Siamese, like Americans and Europeans, are un-mindful, and it did not take a Lindbergh or a Byrd to convince them that the time had arrived to give up elephants for airplanes.

The Siamese look to the air long before the world in general had given any serious attention to trans-Atlantic flights or round-the-world trips. In fact Siamese sailboats were still in their infancy and people wondered if it were safe to ride behind the "puffing black smokers" when a small number of Siamese army officers were passing the air.

The efforts of that little group, spared as they were by the action boom which the World War brought, have resulted in the now well-organized Siamese Royal Aeronautical Service which, as a division of the Ministry of War, builds its own planes, trains its pilots, buys air flying fields, delivers mail, merchandise and medical aid, when needed, to practically all districts of the country.

Long distances from the sea have urged their way from European eyes over the stretches of India to Java, Indo-China, China and Japan, have been land in their prime of the efficiency and organization shown by the Siamese in aviation. The main airbase at Bangkok, a flying field 15 miles from Bangkok, the capital, has been equipped as being among the best-equipped flying fields east of Siam. Although Bessie and Solier, and Cuzco and Leduc were scheduled to return at Don Mueang, they threatened this step due to engineers of aircrafts which forced them to push as farber.

Siam's interests in aviation are not on a par with those in Europe and America, but comparatively, the people of the Land of the White Elephant are not behind the times with respect to air travel. It is true that development is not in step with the latest developments, but the country is getting all its own from what it has and is looking ahead toward improvement.

King Prajadhipok, the present ruler, a modern and progressive administrator who has studied and traveled extensively in Europe and America, a most enthusiastic about his country's air force and is encouraging a greater interest in aviation among his people.

Approximately 100,000 people are now in the Siamese, as a result, are going into the world's aviation market to buy planes, engines and accessories in ever-increasing quantities.

The constant expansion of the Siamese Royal Aeronautical Service offers an excellent outlet for American manufacturers. Due to America's great growth in aeronautics in the last five years, Siamese aviation officials have been forced to give some attention to American products, but this attention, at present, is in the variety

stage, since Americans have done little or nothing in the Siamese market. The British get the orders. Siam and other Oriental countries are flooded with propaganda depicting the prowess of this British empire and that British engine which British pilots never fail to follow up. In the latter part of 1938, however, an American engine was flown in Siam when an order for several Wright "Whirlwinds" was given. The order did not come of its own accord but only after keen competition had been offered by British manufacturers.

The Siamese are anxious to use American goods not only for the needs of aviation but for all branches of commerce and industry. Efforts are being made to induce American merchants to market their goods in Siam and the few who have hitherto sold the field have been most enthusiastic about prospects. Despite the virtual control of the market by Europeans, which should indicate a high sales resistance to American goods, the Siamese have shown an extreme friendliness toward Americans and toward all things American. As a result native and foreign business houses are anxious to make American connections in order to take advantage of this interest.

One of the most enthusiastic boosters of Siam for American goods is Donald Rossiter, the United States Trade Commissioner who has supervision over that territory. His office is in Bangkok but he makes frequent trips to Bangkok for the purpose of studying the Siamese market. He has shown a particular interest in the Siamese air force as a center for the American goods and has made several excellent reports to the Department of Commerce in Washington. In addition, he has strongly recommended the opening of a trade commissioner's office in Bangkok, to conduct the Siamese work for such an official to keep American industries and manufacturers aware of Siam's needs.

Shortly after the Wright brothers had demonstrated the success of their heavier-than-air flying machines, Siamese government officials recognized that aviation was soon to emerge from an experimental stage to play a vital part in the lives of all nations. They intently watched the progress of the Wrights and other inventors and in 1911 took the first step toward the organization of their country's air force. In that year the Ministry of War sent three officers of the Royal Engineers to France to study practical flying. In two years, after a thorough course on the ground and in the air, they returned to Siam bringing with them manuals of instruction.

Without the aid of foreign advisors and engineers, from those men organized a flying corps, and trained pilots and mechanics. Even at that time it was foreseen that aviation would play a unique part in the country's transportation service. It was fully realized that railroads could not be built to touch every remote section of the country and planes were then made to link districts untouched by roads. Many towns, isolated by jungle and mountains, requiring weeks of travel via sampans, an cart

or highest, world, as a result, be closer to Bangkok, the principal commercial and shipping center.

The Kingdom of Siam in southeast Asia contains over 300,000 sq. mi. and is approximately five times the size of the State of New York with a population of 10,000,000. Its length from north to south is about 1,000 mi. and its widest breadth east to west about 480 mi. The coast line amounts to 1,500 mi. The country is bounded on the north by the French Laos States and the British Shan States; on the west by Burma, on the southwest by British Malaya and on the northeast by Cambodia, while on the east it is bounded by the French Laos States being separated from the latter by the Mekong River, except in the extreme north where the frontier lies on the east side of the Mekong.

The monarchy is an absolute one, but the executive powers of the King are exercised through various departments headed by responsible ministers. The powers, duties and functions of the ministers are fixed by presidential decree law or by royal decree. Siam is a member of the League of Nations. All old treaties have been revised and practically complete fiscal and jurisdictional sovereignty has been attained.

It was requested for the World War to open the Siamese to develop their air force to its present standard. Immediately after the United States declared war on Germany, King Vajiravudh, now deceased, issued a proclamation declaring his country in a state of war with the Central Powers. As a result of this action the Siamese Government developed a large number of skilled aviators and mechanics. France requested that these aviators be dispatched to the front. Nearly 2,000 young men, as a result, went to France where they remained until the end of the war.

While at the front they were in intimate contact with every new development in aviation and when they returned to their country and rejoined the Royal Aeronautical Service, their experience was a valuable asset. France was tremendously aided to expand the service. Improvements were effected in the service. Flying fields and flying schools were built. Doan Mong and other fields were laid out in strategic sections of the country with the result that today there are well-equipped flying fields staffed by experienced men and a similar number under construction.

In addition, factories were built at Doan Mong for the construction of planes and a large force of men and women were trained in airplane building. Today all parts of the plane, with the exception of instruments and engines, are built by the Siamese people from materials found in their own country. The industry is well being developed.

The most notable type of plane for service in Siam thus far, according to flying officials, has been the six-engine standard plane of the Breguet type with a 300 hp. Hispano engine. With the ever-growing increase in airplane travel and extensive plans for commercial air routes between Siam and neighboring countries already well under way, officials are considering multi-engine planes.

Routes are being laid out to connect Bangkok with Singapore and other important Malayan cities as well as Bangkok to French and Siam to Indo-China. Merchants of Bangkok are particularly anxious to see

inaugurated an airline to Singapore to bring Bangkok direct to the main line of air traffic to Australia and Europe, all of which landings at Singapore. The trip at present requires four days by boat and 48 hr. by train.

The airmail service now being operated by Holland from Amsterdam to Batavia via Bangkok as a link in the longest airmail now being handled as a part of a regular route, has helped to stimulate the Siamese to a greater interest in aviation. The coming of the huge engine-driven bombers to Bangkok was a weak as they make their way to Batavia and return, is leading into the Siamese a greater desire to bring their own air force to a high degree of efficiency.

The first experiment in Siam of aerial transport of mails took place between the capital and Chantaburi, a town on the southeastern part of the country, some 250 km. from Bangkok. The plane took just a little more time than an hour to cover the distance, as compared to two days required by steamship to arrive at the same destination. Shortly afterward another route was opened between Bangkok and Kanchi, 250 km. The planes needed this destination is an hour, whereas by train, which was then the fastest means of transportation, 10 hr. were required. Today most of the country's principal cities have regular air and airmail service. The planes are popular most popular with the people who have indicated their desire to support it with every possible assistance.

Probably no other country has its air service for the transportation of mails better and other factors operating so effectively as Siam. Due to the isolation of many towns and the lack of medical equipment, epidemics took great toll of life until the value of airplanes in reducing such crises was demonstrated.

The most striking one wherein the utility of airplanes was shown for public health work was when an epidemic occurred in Udon, a province in the eastern part of the Kingdom. Medicines were completely exhausted and the increase of cases grew to grow for the inadequate number of physicians at hand.

The governor telegraphed the health department at Bangkok that if immediate aid were not forthcoming many would die. The health director telegraphed the commandant at Doan Mong who promised to have six planes ready for the trip. A special train left Bangkok one half hour later for the flying field at Udon where a complete supply of medical necessities. Fifteen three hours physicians and nurses were hastily engaged taking care of the sick.

Royalty was so impressed by the part played by airplanes in this emergency that plans were opened to expand the commercial service with additional planes. The ladies of the court contributed a large sum for the construction of additional ambulance planes with a capacity of two lying and four sitting patients.

Although airplanes in Siam may not reach the peak of their usefulness in commercial transportation for some time to come, they have already demonstrated their utility. They have earned respect, a very important commodity from Chantaburi, a distance of 250 km. and from Bangkok to Chantaburi, a distance of 350 km. The transport of sick is carried on by planes in the northern provinces at distances from 300 to 1,000 km.

The latest use to which airplanes have been put in the past year has been in the making of topographical and cultural maps by aerial photography. The maps now in existence do not cover one-fifth of the total area of the country. Some of these aerial photographs have not been noticed or have very little detail missing. The lack of detail in this respect is due to the difficulties of communication by land, and, in some cases, to the lack of personnel and equipment. Such photographs are now being taken by airplanes which are also used to make photographs from the air in setting out roads and railway lines as well as in irrigation work. Engineers of the Royal Siamese Railways, in surveying new lines, find the airplane indispensable especially in the high mountains of the country.

Siam is a signatory of the International Aviation Convention and has joined with other countries in the promotion of aerial navigation. The Royal Aeronautical Service has been entrusted with the work of carrying out the regulations of the convention. When Siam's representative returned to Bangkok, a meeting of the Government of all the provinces was called and a scheme was outlined to set up emergency landing grounds in every district of the Kingdom to be accessible to any airplane and foreign aircraft in case of a breakdown while flying over Siamese territory. Routes for planes coming from or going to foreign countries were designated and customs arrangements established. A decree was also promulgated regarding the construction and use of airports and the capacity of pilots.

The following customs airports have been established for planes coming from foreign countries either destined for Siam or passing through the country. Bangkok is the center for craft from the south, Udon for craft from the East; Chongchuan for planes from the west or north.

Don Muang, of course, is the biggest and most important is station in the Kingdom. In last two seasons and customs to accommodate passengers and crews of visiting planes. Repair shops are always ready for any emergency. There are also agents to facilitate landing and storing both day and night. The equipment includes a mechanical service and a radio set and a radio set.

Emergency landing grounds are more than 300 miles in length as well as in width. Each has white, angle-shaped markings at the edges whereas in the center a white circle with a small white triangle in the middle.

Besides these landing grounds, the Government has arranged to exchange for six planes at Suvaik Suvaik by the sea at about 20 km. from Bangkok. Communication with the capital is made by radio or by mail. Siamese flying schools are divided into two sections, primary instruction and the other of advanced flying.

After leaving the primary school, students are assigned to the school of advanced flying where they take long

distance flights with multi-engine planes like those used in the postal and sanitary services and for the transportation of passengers. They also perfect their acquaintance with the work of aerial photography.

Before the war, Siam had already many aviators and more than 100 others were added to the number of qualified fliers by those who obtained certificates from flying schools in France. Since the war the Siamese flying school has been training an additional large number of fliers.

There have been remarkably few accidents in flying since Siam took up aviation. From 1913 to the present day no pilots have been killed. Their families are cared for by the Government, which provides a weekly pension. Besides the Daily Flight, Siamese aviators have made long distance trips. In 1921, two planes, each fitted with a 300 hp. Hispano, crossed French planes to Batavia (Canton). The French fliers had come from Saigon to Bangkok to buy a wreath in the memory of Siamese officers and soldiers who died for the cause of the Allies.

In spite of fog and low clouds encountered all the way due to the rainy season, the planes arrived safely at their destination and returned without accident. In order to return the visit of the French aviators and to express to the government of Indo-China their gratitude for its friendly action, the Siamese sent four planes to Hanoi (Tonkin) on November 11, 1922, the anniversary of the Armistice. After they had passed a silver plate in the memorial of French aviators and soldiers who died in the war, the aircraft returned to Bangkok safely after having covered a distance of more than 2,400 km.

Much credit for the thoroughness and efficiency of the commercial service is due to the capable efforts of Maj. General Phya Chulchai Akha, the director general. Not only is he as experienced a flier, but an able administrator who never loses sight of the future. Through modern propaganda methods he is creating in the minds of his people a pride in the progress of their aviation corps. It was the writer's privilege to help him in that respect on many occasions while editor of the Bangkok Daily Mail in 1927 and 1928 when that paper was owned by the King. We were the first newspaper in the Kingdom to use a plane for editorial work as well as for advertising.

Too much credit is withholding the request of Siamese in aviation cannot be given to foreign aviators who have put Bangkok on the world air map by having taken advantage of the facilities offered at Don Muang.

With the encouragement of the King and the constantly increasing interest shown in aviation through Siamese air exploits and the fact that Don Muang has become a permanent airport, air-minded Siamese will continue to grow, new types of planes will be required to suit the needs and other economic. Siamese want American aviation materials and it remains for American manufacturers to supply that need.



Representatives of the Bangkok Daily Mail about to take-off on a Siamese plane from the Don Muang airfield to "cover" the first news story from the air.



Refueling Van Leeuw Blak's Fokker at Don Muang field on the Amsterdam-Batavia flight in the spring of 1927.

BRIEFLY—

Charles F. D. Evans, Mohr Aircraft Corp. plant at Lowell, Mass., claims a light plane absolute cost of 20,800 is made possible in a metal fuselage Gipsy Moth plane.

Mon-Flier Company, an evening-in-flight unit to be scheduled regularly for the Stinson plane leaves at the Skyway Mall M-2.

Pilot training at the Ford Airport, Dearborn, Mich., includes a test, instrument flight maneuvers in flight, followed by the flight, plus includes the construction of the plane.

Chas. E. Smith has been awarded the Distinguished Flying Cross for his flight from Oakland to Hawaii in July, 1957.

John Stinson has completed more than 14,000 hrs of flying since 1957 in a Cessna 441, according to J. Smith Stinson.

Five Oakland municipal airport pilots attending their summer flight instruction in summer is a record still held by Gen. Arlene Tere, Missouri, noted at Los Angeles.

A correction has been called to our situation. On page 728 of the March 9 issue of Aviation, the name "Christina" in the 2nd line should have read "Christina."

Manoel Airways, Inc., will distribute Star Standard planes in Virginia, it is announced. Delivery dates have been given on New Virginia, personal flight.

Five air trips to Minneapolis and return on Cleveland planes were given as prizes to winners at the recent Ryan Model Model Aircraft Club conference held at Emerson, Minn.

Curtis Flight Service, Inc., has selected Denver, Colo., as its headquarters for the Rocky Mountain division.

The Republic of Chile is required to be equalized with the Illinois Aircraft Corp. for purchase of a number of new planes for use in that country.

Paul R. Dantz has announced a pay-as-you-fly plan for his private school at Oklahoma City. "The school," he says, "is \$25 per hour for \$25 open enrollment and \$6 per hour for 30 weeks."

Dean Fritz A. Kariak of the Marquette University College of Engineering, Milwaukee, Wis., announced an international course will be offered beginning this Fall.

The aviation for student reports, mostly from aviation students, have come from United States Weather Bureau in New York to tell their reports behind in a

second report and other aviation business. Personnel will further discuss in another report with the growth of air transportation, the Bureau has added for additional help.

Three Air Line in the Pacific Coast reports delivery until June 1 at three new-transported Douglas flying boats which will be used to transport the Seattle-Ketchikan-Jackson, Alaska, service.

It is reported that the Seagrams Aircraft Co. of Wichita has started construction of a large multi-engine plane for use at the Varney service.

Pacific Air Transport, Inc., has received an extension of its license to use Galaxy Field, Calif., to Jan. 1, 1980.

Wings Over New York, Inc., a new air transportation company has opened in New York to operate a service which includes transportation of passengers from any point to the new airport at 2:30 P.M. and 4:30 P.M. daily.

Kecora City is to be included in the emergency air service at the Central Air Line of Wichita, Kan., which will be included later.

James A. Tilden, president of the Ebbfeld Oil Co., a trading company on a Dallas-Fort Worth plane which is used in long hauls of a vast of 100,000 Tilden Petroleum, equipment, and furnishings mark the new unit.

A report from Madison, Wis., states that Madison Air Transport expects to purchase a Keystone Private 30 passenger plane for delivery in a Stinson-Wheeler industrial line.

An increase of 701 per cent in total delivery for January and February of this year over the same period in 1978 is reported by the Aircraft Industry of the United States, subsidiary of the Consolidated Instrument Co.

Completion and completion of the first flight of Vought light plane being built on a scale order for the Meridian aircraft is announced at Meridian, Pa. L. J.

The Washington-Baltimore Country Club has entered into a contract with Coastal Airways, Inc., New York City, for airplane service for its members.

The Delta Flying Service has been incorporated in Los Angeles, with a capital stock of \$100,000. The board of directors includes P. E. Drifts, C. A. Zirin and G. L. Zirin.

The Roger Air Service, Skidmore, Mo., has been formed with a capital of \$50,000 in cash and an average of \$100,000 in cash. The directors are W. A. Wicks, H. Beyer and L. McMillan.

The Bethlehem Aircraft Corp. has been chartered in Bethlehem, Ind., by L. J. Levere and others, with a capital stock of \$100,000. It will employ a flying field with

Trade Tips

At Flag River, Missouri, 1979—
—Walter Coy, Commercial Club, Valley City, N.D., plans presentation of a membership report.

—Ride an improvement with to be carried on at the new Government field south of Galtice, Ohio, are being received by M. M. Smith, sales and service engineer of the Department of Commerce.

—A dormitory for an enlisted man is to be constructed at the Tuscon Area, airport, and for the work area now being removed.

—An aviation hotel will be given by the Birmingham, Ala., Flying Club April 8 to finance the purchase of a new plane.

—Greenfield, Mass., has voted to establish an airport and has appropriated \$40,000 for the project.

—The airport commission, Weston-Salem, N.C., is to let the contract for construction of a second runway, 40 ft by 10 ft, at the Miller Municipal Airport.

—Cavell Airport, Inc., Canton, Ill., of which G. D. Martin is secretary, will build a hangar on the 100-acre tract, which is to be open for traffic by September 5.

—If S. Air Lines, Inc., of Cleveland, will build a hangar at Columbus, O.

at the site on the National Road, on what is claimed to be the highest spot between Dayton and St. Louis.

Q.A.N.T. Aerial Services of Australia reports the following record for a B-207 jet engine recorded in a test of the engine. The engine was run the 207 in 10 min on the air and 21 to 45 min on the ground between March 30 and December 20 last year without being touched for repair except to replace five valve caps, one oil retaining cap, and valve spring and one set of spark plug.

Plans are reported to be planning an important step in meeting the transportation problem between the New Guinea coast and the island port fields. The plan now the choice is to be made.

Over 4000 licensed pilots in California are listed in the California Pilot Directory. The California Pilot Directory, New York has news. Two of these women have Transport Airlines, while one have Limited Commercial License.

A Dallas man's course in aeromedical theory will be established by the Western College of Aeronautics, Los Angeles, in April 3.

Three large airports are under construction in Mexico at Tijuana, Toluca and Tlaxcala.

Personnel

—New C. H. Gaudin at Massachusetts Institute of Technology has been appointed a member of the Alexander Leitch Committee on Scheduling Awards.

—Lester F. Wagoner has been appointed traffic manager for the district of Kentucky of the Continental Air Lines, Inc.

—L. M. Turner has been appointed aviation sales manager in charge of service and P. M. Muth has been placed in charge of field service for the American Aircraft Co. of Wichita, Kan. L. M. Turner has been placed in the Stinson branch of directors.

—A. P. McCulloch has been appointed vice president and general manager of Aeronautical Schools Association of Wichita, Kan.

—Jack I. Bender has been appointed secretary of the Airline Aircraft Corp. and the W-L Air School, Inc.

—Lester J. P. Patten has been appointed chief ground school instructor of Pacific Air College, Inc., of St. Louis. George H. Mackinnon has been appointed instructor for the ground school.

—W. G. Rimmer has been named as president of Boeing Air Transport, Inc., to air effect until April 1, to accept an important executive post with Air America, Inc., of New York City.

—Lester J. C. Dutton has joined the training staff of Canadian Colonial Airways on the New York-Montreal air and passenger service.

—Aron Gaudin has been selected by the Verde Aircraft Company to be the company's new product, the Verde "Air Coach."

—Lester W. S. Starnes, former Marine Corps pilot, now with the company manager of the Curtis Flying Service of Michigan.

—Lester Menden, for the past several years connected with the IBM Aircraft Co., resigned recently.

—Dariusz M. Szwedowski, R. S. Minkley, R. L. Langhorne and Aronka C. Dutton were added to the Board of Directors of the Curtis Flying Service, Inc., at its annual meeting March 14. W. A. Hosen was retained as a director.

—H. J. Gaudin has been appointed by the Post Office Department as supervisor of the air mail and mail routing from Atlanta, Ga.

—J. L. Hulse, former President, and J. H. Gentry have been appointed to the piloting staff of the Thompson Aeronautical Corp.

—Robert F. Brown has resigned as director of the aviation bureau of the Kansas

City Chamber of Commerce to become the Mid-West sales representative of the Curtis Flying Service.

—A. O. Hutton has been appointed sales manager of the Portfield Flying School Kansas City.

—C. P. Dutton of Lake Park, and Ben Szwedowski of Oklahoma City, have been added to the piloting staff of the Verde Air Lines, Oklahoma City.

—Homer Rasmussen has joined the staff of the Bismarck, N.D., Flying School, and the Bismarck Municipal Airport.

—G. M. Gaudin has joined the staff of the Minneapolis branch of the United States Airlines. J. L. Szwedowski has been placed in the Stinson branch of directors.

—A. P. McCulloch has been appointed vice president and general manager of Aeronautical Schools Association of Wichita, Kan.

—Lester J. C. Dutton has been appointed chief ground school instructor of Pacific Air College, Inc., of St. Louis. George H. Mackinnon has been appointed instructor for the ground school.

—Lester W. S. Starnes, former Marine Corps pilot, now with the company manager of the Curtis Flying Service of Michigan.

—Lester Menden, for the past several years connected with the IBM Aircraft Co., resigned recently.

—Dariusz M. Szwedowski, R. S. Minkley, R. L. Langhorne and Aronka C. Dutton were added to the Board of Directors of the Curtis Flying Service, Inc., at its annual meeting March 14. W. A. Hosen was retained as a director.

—H. J. Gaudin has been appointed by the Post Office Department as supervisor of the air mail and mail routing from Atlanta, Ga.

—J. L. Hulse, former President, and J. H. Gentry have been appointed to the piloting staff of the Thompson Aeronautical Corp.

—Robert F. Brown has resigned as director of the aviation bureau of the Kansas

Reviews

Physics of the Air, by W. J. Thompson, U.S. Weather Bureau, second edition. This book contains all the material of the first edition, which was first published in 1954, with additional text, Meteorological Association, has been reduced and some paragraphs and topics have been added. Most of the material in the first edition has been rewritten in various portions have been rewritten and rearranged.

The volume is divided into five parts under the title, Mechanics and Thermodynamics of the Atmosphere, Aerodynamics, Acoustics, Atmospheric Optics, and Physics of the Atmosphere. Appendix 1, Graduate level, contains two tables.

Appendix II provides a number of convenient constants and equivalents. The price of the book is \$1.50.

Aircraft Fleet Design, by Capt. Robert C. Richardson, Bureau of Aeronautics, Navy Department. This volume has been prepared in response to a number of requests for information on the subject from students, engineers and designers. It is divided into 12 chapters and includes an appendix containing a glossary of special terms and definitions.

A number of diagrams and illustrations are included in the book. The book is available in paperback and hardcover. The price of the book is \$1.50.

Aircraft Fleet Design, by Capt. Robert C. Richardson, Bureau of Aeronautics, Navy Department. This volume has been prepared in response to a number of requests for information on the subject from students, engineers and designers. It is divided into 12 chapters and includes an appendix containing a glossary of special terms and definitions.

A number of diagrams and illustrations are included in the book. The book is available in paperback and hardcover. The price of the book is \$1.50.

Aircraft Fleet Design, by Capt. Robert C. Richardson, Bureau of Aeronautics, Navy Department. This volume has been prepared in response to a number of requests for information on the subject from students, engineers and designers. It is divided into 12 chapters and includes an appendix containing a glossary of special terms and definitions.

A number of diagrams and illustrations are included in the book. The book is available in paperback and hardcover. The price of the book is \$1.50.

Aircraft Fleet Design, by Capt. Robert C. Richardson, Bureau of Aeronautics, Navy Department. This volume has been prepared in response to a number of requests for information on the subject from students, engineers and designers. It is divided into 12 chapters and includes an appendix containing a glossary of special terms and definitions.

A number of diagrams and illustrations are included in the book. The book is available in paperback and hardcover. The price of the book is \$1.50.

Aeronautical Calendar

March 23-30	Aviation Show of the Tenth Chamber of Commerce, Buffalo Army, Buffalo, N. Y.
April 6-14	Second Annual All-American Aircraft Show of the Tenth Chamber of Commerce, Cleveland, Ohio, 1979, Mich.
April 18	National Civilian Conference, Student Study, Denver, Mich.
May 4-5	Joint meeting International American American Society Mechanical Engineers, Denver, Mich.
May 7	National International Ballroom Race for the Litchfield Trophy, Pittsburgh, Pa.
May 7	International Aircraft Conference and Exhibition, Seattle, Spain
May 14	Fourth Annual Aircraft Engineering Research Conference, Lincoln, England, England
May 27-June 2	Indianapolis Aircraft Show of the Indianapolis Aircraft Association, State Park, Grangeville, Idaho
May 30-June 3	International Light Plane Show, Astoria, Oregon, Holland
June 10-17	International Aircraft Exhibition of the Society of British Aircraft Constructors, Olympia, London
June 26-30	National Air Race and Aerobatics Show, Cleveland, O.
Sept 6-9	Scholarship Cup Race, over the Solent, Crown England
Sept 2-11	International Aircraft Exhibition of 1929, Columbia, Chicago, Ill.
Sept 28	Gordon Bennett Endless Trophy Race, St. Louis, Mo.
Oct 15-22	Southwestern Aircraft Exposition, State Park, Grangeville, Idaho, Tex.
Dec 1-5	International Aeronautical Exposition of the Aeronautical Association of Commerce, Chicago

BUYER'S LOG BOOK

SIDE SLIPS

B.B.T. Floodlight

ANNOUNCEMENT HAS been made by the B. B. T. Corporation of America, Atlantic Building, Philadelphia, Pa., of the development of a new type of intermediate floodlight.

This new airport lighting unit is known as the Type II-B-B intermediate landing floodlight.

The Type II-B-B Floodlight is constructed of Monel metal and is equipped with a 300 w/va. element, hand ground, hand-out. Flooded lens. The reflector is a 12 in. spherical mirror with an adjustable flood, set, and range. The unit is 6 ft. 3 in. high, 1 ft. 10 in. wide and 3 ft. 5 in. deep.

One 10 kw lamp is employed, as a light source but the unit is made large enough to accommodate a lamp changer if desired. A fan ventilator with shatter is provided and a manually operated resistor panel to control lamp settings is also furnished.



Type II-B-B Floodlight

Moto Meter Instruments

THREE NEW aircraft instruments have been developed by the Moto Meter Company, Inc., Long Island City, N. Y., and were adopted as the recent Army and Navy Calibrations in Philadelphia. These instruments are known as Army and Navy standard small air fuel pressure gauge, oil pressure gauge and engine thermometer.

The pressure gauges are the usual Bourdon tube type and the thermometer is of the vapor column type, the ac-



Army and Navy Standard small air instruments developed by the Moto Meter Co.

usual feature of the thermometer being that it has an evenly graduated scale. The total vapor tension scale opens up considerably the higher the instruments get, due to the fact that the coefficient of expansion of the filling material is not constant. This appearance of coefficient of expansion has been overcome in the mechanism of the new type thermometer.

By ROBERT R. ORSON

Now that the Society for the Aeronautical Education of Newspaper Correspondents and Artists has assembled to each good work in its chosen field, we have time to look to other fields which are in need of improving. Mr. C. E. H. of Hempstead, N. Y., suggests opening a section devoted to the aeronautical education of stock brokers, and another a circular to prove the disreputable character of Wall Street. We quote from the circular: "Telegraph dispatches from Lincoln, Neb., state that the Lincoln Aircraft Co., Inc., has just entered an agreement with the Wright Aeronautical Corporation of Dayton, Md., whereby Lincoln Aircraft has secured the exclusive manufacturing and sales rights in the United States and Canada for the Wright-Blethen airplane engine. This is an air-cooled 20 hp engine weighing 89 lb. and having a speed of over 80 mph. It has a cruising speed of 20 mph, a landing speed of 20 mph and can cruise 22 mi. on one gallon of gasoline."

Apparently Dr. Junkers and other exponents of the "flying wing" aren't so visionary as we thought. What could be better than a flying engine?

The news reports that the Mexican rebels are offering California pilots \$250 a day to fly for them during the revolution. As it is our impression that the Californians have spent most of their flying time repairing landing gear and overhauling engines in flight, we suppose the rebel strategy will be to have them put on a little show over the camp of the federal troops, who can then be captured easily—looking up with their mouths open.

"LAUNCH CAMDEN AIRPORT"

Apparently Camden has been getting some of its aircraft ideas from its across-the-river neighbor, Philadelphia, which, according to our own observations and other reports has one of the finest collections of water-air sports in the United States.

The Intrepid Aviator has asked us to announce that all these fly comparisons which have been going on (the subjects have not advised him in any way) and he said he and his family are still independent. He says that some newspaper barbers have claimed connection with him and his plane in order to run up the value of their stock.

A divorcee edit in Chicago has revealed a man who has an income of only \$15 a week and yet flies his private airplane all of the time. Some airplane company is awaiting a wonderful opportunity to get a worthwhile testimonial.

According to the announcements, a new airplane manufacturing company intends to specialize in airplanes for women and, as their first plan is to be unbreakable, we think they must know pretty well what they are doing. If the gear is arranged so that the ship could land on either land or water, or both simultaneously, the lady pilot can change her mind as often and as suddenly as she likes without danger.

Inspiration
for prospective AIRCRAFT SALESMEN

You, sir, are thinking of selling airplanes. As a man of good judgment you will want to connect with a popular ship, a strong, established organization, and a manufacturer that will help you to succeed. You want to be sure of these things before you put your capital and energy to work.

You should know the Alexander Aircraft Company. You should know what the largest aircraft sale organization in the country is doing—and why is EAGLEBOOK the most valuable. Read and judge where your opportunity lies.

Random Examples of Distributor Success

Dr. Gen. Bennett, formerly a practicing dentist, now operator of one of the largest flying schools in the country, will sponsor EAGLEBOOK during January. This is no fortune in circulation but a healthy good income for the twenty-eight days known as a dull month.

Jack Frye, now operator of a new ship on a small scale. Now his company has a profitable cargo line and flying school. His company and dealer organization has been responsible for the sale of most of the eighty-one EAGLEBOOKS flying in the zone.

St. B. Charles, a law operator and a distributor in North Carolina, Virginia and District of Columbia, has indicated his net sales \$15,000 in those years—and that, in the major part, through EAGLEBOOK sales.

Sales Progression

Several source also promote new sales progress, even in EAGLEBOOKS to distributors and dealers to strengthen organizations and to help close sales.

Over one hundred Alexander Film releases connect with thousands of business men every week. They create EAGLEBOOK progress and render every aid possible to aircraft salesmen in their institutions.

The Alexander Sales Crews, a practical and proven source in advancing in price with our charge to reach new members of the national sales organization.

The Alexander, a weekly newspaper, keeps every salesman of the "advertiser" informed as to company progress and policies, and is a medium for exchange of profitable ideas.

Publicity

Every important aeronautical journal as well as a number of trade publications carry EAGLEBOOK advertising in either black and white or in color.

The Aircrafter, a live 34-page monthly magazine covers a field of 21,000 across prospects. Besides the lower office manager a few points of each business are in EAGLEBOOK element for general distribution.

Motor picture advertising for EAGLEBOOK is shown constantly in many classes throughout the United States. The Alexander Tire Company, another division of the Alexander Industries, Inc., is the largest across advertising company in the world. It has contracts with over 2500 dealers throughout the country. This means \$500,000 annual order circulation monthly, or about three times the circulation of the most widely read magazine in America.

Tobacco, breadfruit, aluminum lemon, flying instruction books, motor, tires, gas, oil, etc., all enter into the list of advertising helps. A live publicity department supplies 200 publications with interesting editorial facts regarding Alexander activities and EAGLEBOOK plans.

A Progressive Institution

Sales volume of the Alexander Aircraft Company amounted to over \$1,000,000 during 1932. This was an increase of more than 16 per cent over the previous year.

Investment in aircraft buildings, equipment, materials, was more than doubled during 1932. Immediate plan call for half a million dollars additional to be received early in 1933.

The present factory is capable of one ship an hour production. Volume production is produced in building EAGLEBOOKS means a lower manufacturing cost with a corresponding increase in the possible market and in value to the customer.

All This Is Valuable

Every effort is made on the part of the Alexander Aircraft Company to make its business as valuable as possible to distributors and dealers. At the present, no deal the company proper and become able to render still greater value for the customer's dollar.

Opportunities for Dealers

There are because EAGLEBOOK dealer now have excellent opportunities to become distributors through development of their territories. This was demonstrated in 1933 by Robert W. Winters, head of Winters Park Service Airports and owner of a EAGLE in Helena, Montana. At a dealer, the firm sold over 1000 airplanes during 1932 than any other EAGLEBOOK dealer in the United States. In January, 1933, it was made a distributor over Montana and Wyoming.

Continue these methods are still open to dealer and distributors. Write to us.



Send
Advertisement of the
new EAGLEBOOK BULLET
will be made
in April.

J. A. Whitson, Vice-Pres. in Charge of Sales,
ALEXANDER AIRCRAFT CO., Columbia Heights, Cal.
I am interested in the purchase of an EAGLEBOOK—☐
I am interested in open EAGLEBOOK opportunity—☐

Name

Address

Return to Publisher

THANK YOU for answering QUESTION

"AIRCRAFT MAKERS MUST KEEP THEIR EYES ON THE CLOUDS"



A PROMINENT manufacturer writes: "I use du Pont fabrics because they are made specifically for aircraft—made so that I get the utmost in durability."

Fabrics that serve on the ground cannot meet the "wear and tear" of the air. Every du Pont aircraft fabric is built to stand the most rigorous stress and strain—to protect the ship against changes in temperature, weather and sea, long after old-style materials have become

shabby and useless. When you say "du Pont fabrics" the protective layer of a plane knows that he is getting the best wood in modern chemical achievement.

Style—more beauty of color—using the du Pont Color Advisory Service. Duro brought style to the automobile. Now, with du Pont wing-fabrics, Duro and other special fabrics, you can give your ships the best wood in color. The du Pont

Color Advisory Service has studied aircraft "fabrics" in both Europe and America and would be glad to suggest suitable human-made du Pont colors made created by special support for visibility. In solving your finishing problems, call on the du Pont Color Advisory Service as well as the du Pont technical men.

Complete information on any du Pont problem for airplane use will be furnished promptly by mail or by a qualified representative.



Aircraft designer was talking "strong machines" mean a radical departure from materials that are suitable enough for ground transportation. We are only beginning to realize the possibilities. I use du Pont Pyraloid and Fabuloid because they are uniquely suitable for plane construction; many new uses for these very modern materials will be developed.

du Pont Fabuloid and Pyraloid are,

in their separate fields, made after the image of the original aircraft maker's heart. They are light, very strong, durable, resistant to oil and flame—stand up under the severest flying conditions. In many cases they are successfully taking the place of older, less suitable substances. Where can they serve you?

Let us send you specific data.

Pyraloid, 100% transparent, is used on landing craft for windows, inner-

ment boards and wing light. Pyraloid is available in various colors—has unlimited decorative quality.

No old-type fabric can approach Fabuloid for cockpit or cabin upholstery. Buoyancy, grace, the true spirit of airplane luxury, encompassed in the design of the new light-weight Nemours Aeroplane Fabuloid cabin ships. du Pont technical men are ready to co-operate wholeheartedly with you. Please write to the division concerned.

AIR-TESTED FINISHES

The Pont Dupon—The du Pont line of aircraft finishing materials includes clear, semi-transparent and pigmented dyes. They are all tested thoroughly at remarkable acceleration—proofs in service as well as in the laboratory. Pyraloid and highly translucent, the Aero and the Aero have approved time problems for their superiority. Available in a wide variety of highly visible colors.

The Pont Paints and Varnishes—du Pont chemists have developed a complete line of paints and varnishes including Duppont Paint, du Pont Varnishes, Dupont Varnishes and Aircraft Research.



E. I. DU PONT DE NEMOURS & CO., Inc.

Industrial Fabrics Division, Paris, N. J.

1320 Elston Ave., Chicago, Ill.

331 California St., San Francisco, Cal.

Fluor Paint and Varnish Limited, Toronto, Ontario, Canada



E. I. DU PONT DE NEMOURS & CO., Inc.

DU PONT VISCOLOID CO., Inc.

135 Fifth Avenue, New York City

FABRIKORD DIVISION

Newburgh, New York

AIR-TESTED MATERIALS

du Pont Pyraloid—Simply Pyraloid is an ideal material for open cockpit upholstery. Will withstand all weather conditions. **Nemours Aeroplane Fabuloid**—an new type, light weight material developed for interior parts of cabin ships. Made in a high grade woven cotton base and covered with appropriate synthetic colors. Endured in destructive tests.

du Pont Pyraloid—A strong, durable, light, waterproof, transparent material formulated in very small from 1 inch spread to about approximately 100 ft. in size. Used for wind shields, other windows, wing light and other uses.

MEMBER OF AERONAUTICAL CHAMBER OF COMMERCE

THANK YOU for choosing AVIATION

SUPPLIERS UNDER CONTRACT TO UNITED STATES GOVERNMENT

THANK YOU for choosing AVIATION

Number One of a Series
of Fact-Statements Re-
garding a New Industrial
Leader—Great Lakes
Aircraft Corporation.



WILLIAM ROBERT WILSON
—Chairman of the
Board of Great Lakes Aircraft
Corporation, one more than
proves the remarkable talent for
organization and accomplishment
which has long since be-
come a tradition in economic
and financial circles.

Responsibility

IT IS a significant fact that shrewd commentators on economical matters already list Great Lakes Aircraft Corporation among the leaders of the industry. That such a position should be conceded even in advance of forthcoming production announcements is a remarkable tribute to the inherent responsibility of the Great Lakes organization. The frank confidence which has been placed in this

powerful newcomer is born largely of respect for the brilliant past records of its executives, the high expectations which it has raised throughout the industry, and deepened in the firm soil of a solid engineering and financial background. Aviation expects leadership from Great Lakes Aircraft Corporation because it is headed by men who have always been leaders—and because it is in business to stay.

GREAT LAKES  **AIRCRAFT**
CORPORATION CLEVELAND

Military and Commercial Airplanes • • • Seaplanes and Floats • • • Aluminum Alloy Parts

THANK YOU for reading AVIATION



NEW!—Through and Through!

*"An unequalled bad-weather ship," say veteran pilots
of the new Ryan Brougham for Six*

—And a fair weather ship beyond compare, too—is this new Brougham, the most beautiful ship and the greatest performer Ryan ever built. The new Ryan represents the happy medium—speed, stability, maneuverability, and now perfected coachwork design puts it in a class with the finest motor cars.

"Inherent stability" is no longer an empty phrase. It is the verdict of every pilot who has flown this brilliant ship. "Hands off" flight is now commonplace—here is a ship which, properly balanced, will keep constant altitude at any engine speed... will recover automatically when the gun is cut... has directional stability, even at landing speeds.

"Red" Harrigan, Ryan Chief Test Pilot, will tell you—and show you—it is the best balanced ship in America today. Pull the nose high in a stall and you will experience no falling off. If conditions demanded, this balanced ship could be flown and landed with the stick alone, or with only the rudder and stabilizer. Three vital qualities reach their highest development in the Ryan.

Extends attractively gauged—interior in the best taste in coach design. Individual middle and control seats... comfortable for cross country trips. New controls give an absolutely clean floor... nothing to jam or catch... may brake control... the ultimate in comfort and security.

This sure-winged Brougham is designed for first-class commercial air travel and is well adapted to special speed trips of business encounters. It takes off faster and lands slower than any other plane of its type. The substantial performance given by the B-3 model with the Wright J-5 motor is amplified to an astounding degree in the B-5 model with the Wright J-6 motor.

Created by a substantial company which built and sold more Wheland cable ships in 1926 than any other maker.

Ships of this new model are ready for early delivery through Mahoney-Ryan distributors situated at the leading airports throughout the country and abroad. Illustrated four-color brochure giving full description will shortly be available to interested individuals and corporations.

The **MAHONEY - RYAN AIRCRAFT CORP.**

Lancaster-41 Leas
Airport



Ashten, St. Louis County
Maine

THANK YOU for reading AVIATION

IMPROVED WEARING QUALITIES

In Cheney-Cast Cylinders

In the long and thorough research work preceding the development of the remarkable nickel-iron used in Cheney-Cast Cylinders, the prime importance of wear-resisting characteristics was continually emphasized.

The resulting iron, with a uniform distribution of carbon, has exceptional wearing qualities as well as high strength characteristics.

If you have been thinking of cast cylinders in terms of ordinary gray iron castings, it will pay you to investigate Cheney-Cast Cylinders. They are the result of twenty-five years' experience in making air-cooled cylinders.



Broomfield Model C-400
Recip. Equipped with
Cheney-Cast Cylinders

S. Cheney and Son
HAMILTON, N.Y.

Nearly a Quarter of a Century ago . . . and now!

The United States Government
Always a Goodrich Customer



By way of contrast compare the modern airplane on the right with this old "crane."



As its name, one cannot easily forget it is a "crane" in the sense of a crane, but the "crane" is a Goodrich's.

WHEN Goodrich first made aviation tires the United States Government was one of its first customers. And customer our Government has remained from the days of the first fabric clincher tires until this modern day of streamline giants.

Recently Goodrich made the world's largest airplane tires for the U. S. Army's Bunting Bomber. Tall as many flyers, these great rubber-and-fabric hoops measure five feet, four inches in height. A score of tail wheels could be hidden safely inside their cross sectional diameter.

Smaller sizes of this same type have long been used on planes of the War Department Air Corps, the United States Navy and on the vast majority of commercial airplanes. For it is a well established fact

among both civilian and military authorities that there are no "second best" Goodrich airplane tires.

The B. F. Goodrich Rubber Company will not endanger life by manufacturing anything less than the best aviation tires that science and skill—Goodrich science and skill—can construct.

THE B. F. GOODRICH RUBBER COMPANY, Akron, Ohio. Established 1870. Pacific Goodrich Rubber Company, Los Angeles, Calif. In Canada, Canadian Goodrich Company, Kingston, Ont.

GOODRICH has rubber not so field in motion. The center of heavier-than-air craft is its use of endurance. There Goodrich has pioneered . . . there Goodrich has helped to write history. And there Goodrich still leads with products as far advanced as the modern flying field is advanced over the far ground. Looking back of twenty years ago.

Goodrich Rubber for Airplanes

To Pass the TRANSPORT PILOT'S EXAMINATION

you must know

Navigation and Meteorology

A book has been prepared which thoroughly covers the examination for any grade of license in these subjects, and if the candidate will spend a few hours studying it no difficulty will be experienced.

\$2.50 Postpaid

Mail Order to

Captain Lewis A. Yancey
427 West End Ave., New York City

CAPTAIN LEWIS A. YANCEY
427 West End Ave.
New York City

Enclosed please find check for \$2.50 for which send me copy of *Aerial Navigation and Meteorology*.

NAME

ADDRESS

CITY

STATE



FOR SALE

OUR COMPLETE OPERATING FLEET
OF
FIRST CLASS SHIPS
AT
MUCH REDUCED PRICES

CABIN MONOPLANES

FAIRCHILD—2 C. 2 Loc. No. NC1101
1 plane—2 engines fuselage—completely
equipped—Wright 15 powered \$11,200
FAIRCHILD—2 C. 2 Loc. No. NC1011
1 engine fuselage—two—two—two—two
2 powered—115 horse \$10,000
FAIRCHILD—2 C. 2 Loc. No. NC1041
1 engine—two—two—two—two—two—two
2 powered—117 horse \$10,000

SEAPLANES

LORENZO Air Tech—2 Loc. 4191 S.C.
Amphibian—plane—Waco 425 powered—
111 horse—two—two—two—two—two—two \$10,000

OPEN BIPLANES

WACO 11 Loc. NC1091—two—two—two—two—two—two
seven—two—two—two—two—two—two—two \$12,100
WACO 12 Loc. No. NC1091—two—two—two—two—two—two
seven—two—two—two—two—two—two—two \$12,100
WACO 13 Standard Loc. No. NC1091—two—two—two—two—two—two
seven—two—two—two—two—two—two—two \$12,100
WACO 14 Loc. No. NC1091
OAS amphibian—two—two—two—two—two—two—two—two \$12,100
WACO 15 Loc. No. NC1091
two—two—two—two—two—two—two—two \$12,100
WACO 16 Loc. No. NC1091
two—two—two—two—two—two—two—two \$12,100
WACO 17 Loc. No. NC1091
two—two—two—two—two—two—two—two \$12,100

ALSO

Four 100 (4) 100 horse—two—two—two—two—two—two—two—two \$12,100
WACO 18 Loc. No. NC1091—two—two—two—two—two—two—two—two \$12,100
WACO 19 Loc. No. NC1091—two—two—two—two—two—two—two—two \$12,100

ALL PRICES FURNISH PHILA. AIRPORT
Cabin—two—two—two—two—two—two—two—two
and fuselage with Green—two—two—two—two—two—two—two—two
New detailed information if you will
Write—Waco—Plane

LUDINGTON

LUDINGTON PHILADELPHIA
FLYING SERVICE

Philadelphia Airport Franklin P. O.
Philadelphia, Pa.

To a pilot... curious sightseers are worse than hornets



To a pilot busy checking and tuning-up his plane curious sightseers on the field are more annoying than hornets. They get in the way . . . get into danger . . . ask fool questions . . . toss matches and cigarettes around as though they never heard of gasoline.

Controlled, sightseers are a source of profit to pilot and airport. Uncontrolled, they become trouble-makers, and often cause accidents that result in costly damage suits.

We have cooperated with many airport operators in properly locating and erecting Anchor Fences so as to restrict sightseers to certain safe areas of the airport. One of 75 Anchor fences is near you. Have the Anchor Fencing Specialist at that office submit a plan to cover your particular need.

ANCHOR POST FENCE COMPANY

Boston Ave. & Kane St., Baltimore, Md.
Albany, N.Y.; Chicago, Ill.; Cleveland, Ohio;
Cincinnati, Ohio; Dallas, Texas; Denver, Colo.;
Detroit, Mich.; Kansas City, Mo.; Los Angeles, Calif.;
Miami, Fla.; New York, N.Y.; Philadelphia, Pa.;
St. Louis, Mo.; San Francisco, Calif.;
Seattle, Wash.; St. Paul, Minn.;
Tampa, Fla.; Washington, D.C.;
Wichita, Kan.;
Yonkers, N.Y.

ANCHOR
CHAIN LINK
Fences



A NATION-WIDE FENCING SERVICE

BUY Miller Airplane Products FOR YOUR OWN

And if you have any Miller Product with which you are not entirely satisfied it is your own darn fault if you don't write and give us the opportunity to back up our iron bound guarantee.

Your Motor's efficiency can be greatly improved by the use of the following:

"Ray's for OX's," by Luke C. Miller, covers methods of improving power, reliability, and economy, price, \$3.00.

Miller Overhead Assembly, many times over-lasts original Overheads.

Miller Roller Rocker Arms, save the Valve Guides.

Miller Suzuki Valve Cams, increase revs and saves gas.

Miller Valve Guides and Seats put the cylinder back in service.

Miller 1 Ring, Machine High compression Piston, increase power.

Miller Valve Guide Jig, for replacing Guide in your own shop.

Miller Valve Seat Set, is indispensable with the Guide Jig replaces the seat.

Miller Ratchet Set, etc., are indispensable when grinding valves.

We also sell numerous other accessories, including the Gorman Rock Magnets, Beach Spark Plug, Beach Ignition Cable, and last but not least the Beach Breaker Assembly to fit Belling Magnets.

Write or wire to us direct, or to any of our representatives, for descriptive folder and price list.

MILLER AIRPLANE PRODUCTS

3327 West Jefferson Street
Los Angeles, California

DISTRIBUTORS
Lynn Aviation Co. Wichita-Kansas, Anytime Co.
718 West Superior Avenue, St.
Cleveland, Ohio, Hamilton, Missouri.
Johnson Aviation & Supply Co. Baltimore, Maryland, Civil
Denver, Ohio, Anytime, Missouri.

Aluminum Fuel and Oil Tanks

"Tank up with the leaders"

Lightest aluminum welded tank per gallon—most durable—highest safety factor. Prices in range with commercial aviation.

Streloff - Naughton CORPORATION

50 William Street, Long Island City, N. Y.
Telephone: Haver 5-1002



FLEXIBLE STEEL WIRE SHAFTS

*for power transmission
around corners and over
obstacles—silent, steady,
durable, strong.*

The S. S. White Dental Mfg. Co.
Industrial Division
152 West 42nd St. New York, N. Y.



Write for data book.
Best for an argument



Small Field Below!

When you fly a Challenger, your next thought is of how easy you can set into that little field with room to spare—at an amazingly slow speed too. If you want—of how nicely she will climb up into the blue again after a short run. Control! That's one marked advantage of the sturdy Challenger biplane. There's one reason why the Challenger is so rapidly winning first preference with pilots wherever she sails the blue!

Kreider-Rolauer Aircraft Company, Inc.
Bryn Mawr, Maryland

STRENGTH

Swallow's reputation for strength—rigged construction—is international. This additional strength—the result of many years of testing and exhaust construction of aircraft for America's Pioneer Commercial Plane builders—means greater safety, easier handling and better performance all the way round.

This is one of the reasons why the Swallow, in any model, is preferred both by Airlines and the individual owner.

The new Swallow D.F. Approved Type Certificate No. 104—built for the most testing, in the latest low priced way for this purpose. Write for full details.



SWALLOW AIRPLANE CO.
WICHITA, KANSAS

CURTISS COMMENT No. 1

"In 1935 the Curtiss Flying Service will have a share of 25 Flying Fields in full operation throughout the country.

This means—for instance—that the owner of a plane powered by a Challenger 175 h.p. air-cooled engine can always get expert service, day or night—because each Field will have a "go-to-it" of Curtiss mechanics familiar with the Challenger installation.

*All such fields are in active operation.



Curtiss Flying Service, Inc.

New York Office—GARDEN CITY, L. I.
"...world's oldest flying organization"

the ideal HANGAR for airplanes



Arch Roof Construction offers the perfect building for all hangars, warehouses, auditoriums, etc. Strong, perfect form and function get in the way of the modern architect. Space up to 200 feet and more.

Further information on request. Our experts cheerfully will cooperate with engineers, architects and all others interested.

ALICE ROOF CONSTRUCTION CO. INC.

104 West 42nd St. New York City

Engineers and Contractors

Subscribe to AVIATION

Four dollars per year. Canada, five dollars. Foreign, six dollars. Single current copies, twenty-five cents. Back numbers, twenty-five cents.

PITCAIRN AIRCRAFT



For Air Mail use . . . SUPER MAILING
For Sport or Private use . . . SPORT MAILING

PITCAIRN AIRCRAFT, Inc.
Bryn Mawr, Penna.



PERRY-AUSTEN
DOPES



Perry-Austen Clear Acetate Dope
The Leading Undercoat

The Best Finish (Delivers—Our Clear Acetate Undercoat—Our Pigmented Dope)

PERRY-AUSTEN MFG. CO.

Contractors to United States Government
Main Office and Works: Greenboro, Station Island, N. Y.
Tel.: Douglas 8116 172
Chicago: 118 N. Dearborn St. Tel.: Superior 6848

HALL-ALUMINUM AIRCRAFT CORPORATION

Strong, Light Weight

ALL-METAL

Airplanes, Seaplanes,
Flying Boats and Launches

Standardized Drawn Sections and
Stamped Parts Adaptable to Your
Present Designs or New De-
signs Suggested

3050 ELMWOOD AVENUE
BUFFALO, NEW YORK

Contractors to U. S. Navy

The Development of Commercial Aircraft Since 1914
**Another Step Toward
SAFETY AND PERFORMANCE**



A Distinct Advance in Design . . . fly the



Powered with QES

High Speed . . . 120 m.p.h.
Landing Speed . . . 35 m.p.h.
Climb . . . 2000 ft. per min.
3 place and baggage compartment

Orders Filling Fast! Still
Available in Some Territories

1-17 Berrington Street, Brooklyn, N. Y.
Branner-Winkle Aircraft Corporation

Announcing
"The Challenger"

Manufactured by
Kendall - Palmer
Aircraft Co., Inc.

is now distributed in
Ohio and Michigan by
the experienced staff of

Skyways Inc.

Established at
the former
Glenn

1000 West 10th Street
Cleveland, Ohio

**BROWNBACK
AIRCRAFT ENGINES**



BROWNBACK MOTOR LABORATORIES, Inc.
4000-40th Avenue, New York City Factory-Exclusives

**SEAMLESS
STEEL TUBING**

All Aircraft Grades
WARRANTED TUBES for seamless
shipped in any quantity.
MEET REQUIREMENTS for substantial
production requirements.

SERVICE STEEL COMPANY
1015 FRANKLIN STREET
DETROIT

100 Third St. Buffalo N. Y. 1000
1000 Third St. Buffalo N. Y. 1000
1000 Third St. Buffalo N. Y. 1000

PROVEN!
The Supreme
Propeller is
proven by
performance
and merit.

SUPREME
SINCE 1908
the
Supreme Propeller
has been manufactured.

Our Production facilities make possible
prompt delivery.

Supreme Propeller Co.
WICHITA, KANSAS
SUPREME PROPELLER CO.
Facilities available for reliable delivery

**G80
Radiators**
for
AIRCRAFT

EFFICIENT
LIGHT WEIGHT
DEPENDABLE

The G80-M's G. N. New House Co.

Perfect



STREAMLINE

A DODGE side-load aircraft and motor engine.
A side-load aircraft in the perfect streamline
form of the Bendix-Ludlow-Wood for airplanes.
Each wheel has a self-contained brake unit—
the famous Bendix-Servo Brake.
Bendix-Servo wheel diameter and length, and other
specifications of this wheel follow the standards
established by the U. S. Air Corps.

Bendix Wheel and Brake are used in
production in standard form.

BENDIX BRAKE COMPANY
General Offices and Plant: South Bend, Ind.
Division of Bendix Corporation, Chicago

BENDIX 4 BRAKES

FOR SAFETY

Aviation Protection, Inc.

**Insurance Brokers to
Aviation**

110 William Street
New York City

Telephone: Buckman 8184-8185

**HIGH GRADE
Gears and Machined Precision Parts**



INDIANAPOLIS TOOL & MFG. COMPANY
INDIANAPOLIS, INDIANA

Young man, WHERE are you
going to learn to fly?

Opportunity is knocking at your door—the flying age
is here—your future depends upon thorough training,
both in flying and ground courses—no coasting by
without preparation is better. The BEST man a new
standard.

We comply with the Department of Commerce regu-
lations. We are prepared to meet requirements for
aviation flying schools in general. Our minimum
costs, quality, modernity are prime factors. Our
ground course is complete.

We teach aerial photography and radio, instruments, air
navigation, ground engine, etc. We qualify students for
commercial, transport, or transport license.

Work, was for aviation, flexible fully flexible and
flexible policy. In 20 minutes.

The Bird Wing Commercial Aircraft Co.
SCHOOL OF AVIATION
St. Joseph, Missouri

KITTY HAWK

This is a Hawk—Look Like a Hawk

This is a photograph
of the actual KITTY HAWK
that was built and used
to secure Lindbergh's record last month in Mexico City.
We have positive proof that this was the very first
the mechanic began to put it in. It will be used to secure
the last wheel built on KITTY HAWK No. 24. Will
you be the lucky purchaser?

BOURDON AIRCRAFT CORP.
Hillgrove, R. I.

**CONTINENTAL
AIRCRAFT
CORP.**

NEW YORK, L. I. NEW YORK

In the NATIONAL AIR RACES, September, 1934,
B. G. MICA SPARK PLUGS
again showed their sturdiness

Reliability of Performance

The Transcontinental Race Class A, B and C in 2nd and 3rd place

All the Cleveland Racers won with air-cooled Whirlwind and Wasp engines

1st out of 11—1st place
11 out of 11—2nd place
9 out of 9—3rd place

The Mitchell Trophy Race Class D-12 engines—1st and 2nd places.
The Moses M. French Trophy Race Class D-12 engines—1st, 2nd and 3rd places.

ALL WHIRLWIND, WASP AND HUSKINS IN THE TRANSCONTINENTAL RACE WERE EQUIPPED WITH B. G. MICA SPARK PLUGS



Actual size of the B. G. "Mica"

The **BIG** Corporation

114 WEST 125th STREET, NEW YORK, N. Y.

HAMILTON PROPELLERS
ARE USED THE WORLD OVER
HAMILTON
PROPELLERS

Hamilton Aero Mfg. Co., 41 Korte Ave., Milwaukee, Wis.

THE MODERN AIRCRAFT COMPASS

Consolidated Instruments

CONSOLIDATED INSTRUMENTS CO. OF AMERICA, INC.
125 W. 42nd St., New York 36, N. Y.

There's No Question About It!
—The Record Breaking
"QUESTION MARK"

Used
AIRCRAFT SCREW PRODUCTS
Manufactured by The

**AERO SUPPLY
MFG. CO., INC.**

Dependability means safety



Write The
Aero Supply Mfg. Co., Inc.
College Point, L. I.

For Catalog on Airplane
Screw Products, Accessories
and Aeronautical Supplies

KNOW THESE NAMES?

V. W. Allen	General
Henry B. Allen	V. P., Construction and Production
Thomas H. Joyce	V. P., Sales and Military Development
Frank H. Johnson	Chief Engineer
William W. Wain, Jr.	Chief of Design
William H. Miller	Research Engineer
Earl J. Carlson	Engineer of Structures
Thomas E. Hall	Factory Superintendent

Executives and Engineering Staff of the new
BERLINER-JOYCE

AIRCRAFT CORPORATION
OFFICE: Bessert Tower Building, BALTIMORE, MD.
(Transit Station, Maryland, Va.)
New Service Building at Baltimore Airport

for AVIATION INSURANCE

SEE **AUER**

One source of all the facts
to enable the operator to select
the most insured and insured man.

Writing is just one of the facts.

Crowford Aeronautical Schools
220 Madison Avenue, New York, N. Y.

WHERE TO FLY

PACIFIC TECHNICAL UNIVERSITY
NORTHWESTERN
HOME STUDY COURSES

AIRPLANE DRAFTING
WESTERN SYSTEM OF NAVIGATION
AIRCRAFT MANAGEMENT
AIRCRAFT ELECTRICAL ENGINEERING
ORIGINATION WORK OF AIRCRAFTS
PRACTICAL UNDER FLIGHT
FLIGHT INSTRUCTIONS

affiliated with U. S. Navy, Dept. of Army
and U. S. Coast Guard

LEARN AVIATION
RYAN

Learn to fly in the most modern and complete school in the world. The school is located in the heart of the city, and is the only school of its kind in the world. The school is the only school of its kind in the world. The school is the only school of its kind in the world.

U. S. NAVY AND U. S. ARMY
NAVY AND ARMY
NAVY AND ARMY

MAHONEY-RYAN AIRCRAFT CORP.

Designers of Black Aircraft and Sport Flying Co.

President of Civil Aircraft's "Sport of the Century" type plane flying instruction the nation's first. Students have an opportunity to study factory, field and airline methods.

SAN DIEGO, CALIFORNIA

YOUR FUTURE IN AVIATION

Get The New Catalog
to enable the operator to select
the most insured and insured man.

Writing is just one of the facts.

Crowford Aeronautical Schools
220 Madison Avenue, New York, N. Y.

Learn to Fly at a Midway
Alway Corporation School

Under the direction of John H. Chapman

Here learn to fly in the most modern and complete school in the world. The school is located in the heart of the city, and is the only school of its kind in the world. The school is the only school of its kind in the world.

NEWBERRY AIRWAYS CORPORATION
Miami and New York

A College of Aeronautics
OFFERING

The most complete flying and ground training
in the world.

Write for Catalog
Hesslein-Jones Airways, Inc.
200 INLAND, ELIZABETH

UNIVERSAL FLYING SCHOOL

Learn to Fly in Modern Phases

UNIVERSAL FLYING SCHOOL, INC.

Now offering flying instruction in the most modern and complete school in the world. The school is located in the heart of the city, and is the only school of its kind in the world. The school is the only school of its kind in the world.

LEARN TO FLY

At the hands of the best pilots and instructors in the world. The school is located in the heart of the city, and is the only school of its kind in the world. The school is the only school of its kind in the world.

MASSACHUSETTS AIRWAYS CORPORATION

ALEXANDER CALDWELL REPLACES
BYRON MURPHY

REPLACES CALDWELL REPLACES
BYRON MURPHY

REPLACES CALDWELL REPLACES
BYRON MURPHY

LEARN TO FLY IN DETROIT

modern planes used

HARRY ANDERSON
Box 411 2 N. E. East Detroit, Mich.

MID-PLANE FLYING SCHOOL
Mid-Plane Flying School
Mid-Plane Flying School

UNIVERSAL FLYING SCHOOL

Learn to Fly in Modern Phases

UNIVERSAL FLYING SCHOOL, INC.

Now offering flying instruction in the most modern and complete school in the world. The school is located in the heart of the city, and is the only school of its kind in the world. The school is the only school of its kind in the world.

ROBERTSON FLYING SCHOOL

Learn to Fly in Modern Phases

ROBERTSON FLYING SCHOOL, INC.

Now offering flying instruction in the most modern and complete school in the world. The school is located in the heart of the city, and is the only school of its kind in the world. The school is the only school of its kind in the world.

NEWARK AIR SERVICE

LEARN TO FLY!

Six new dual, Stinson built by expert mechanics. Six new dual, Stinson built by expert mechanics. Six new dual, Stinson built by expert mechanics. Six new dual, Stinson built by expert mechanics. Six new dual, Stinson built by expert mechanics.

NEWARK METROPOLITAN AIR PORT
Newark, N. J.

Write Carl J. G. Rosenblatt at above address
Telephone: Walpole 338



Where Men Are Made

"ALL THAT I AM OR HOPE TO BE"

Abraham Lincoln owed much to his Mother. Perhaps it was her great loving sympathy that inspired him to achieve years of study and application—the very struggle for learning that paved his way ultimately for the Presidency.

PARKS Air College graduates are men *definitely*, because they intelligently discerned the right for education. They have been trained at the most modern aviation school and can say with radiant pride, "All that I am or hope to be I owe to the education I made and the help I received." Their grade books in tangible expression of greater ability and income in the great new industry of aviation.

THIS IS YOUR OPPORTUNITY!

Aircraft needs planning with you as group opportunity for the kodak. Aircraft mechanics, riggers, inspectors, designers, draftsmen, instrument makers, metal workers, welders, and many other highly paid men are needed urgently in the rapidly increasing number of airports facilities springing up over the country.

POSITIONS PLENTIFUL

4000 commercial airplanes were produced last year in approximately 140 airplane plants throughout the country. This year the output will be tremendous—and next year—and years to come. It is estimated that the value of commercial airplanes sold in the United States this year will exceed \$75,000,000.00. This enormous fleet of airplanes will be built by trained men.

THINK WHAT THE FUTURE HOLDS

A position in an airplane factory is only the start for a man of ambition. Think what the future holds in the nature of high speed executive positions in transport companies, mail lines, photographic works, engineering, as airport inspectors, and in private flying. "The whole business is hot!" True and safe way for success. This is your opportunity knocking.

DECIDE NOW

There are already right tonight companies with entire thousand miles trained and the thousand more men in various stages of preparation, with at least thirty new companies under formation, as well as the thousands of inspectors springing up all over the country. You are needed now. "All that you may be" depends upon your decision—your immediate decision.

PARKS AIR COLLEGE LEADS

Parks is the largest and most completely equipped air college in the United States. Where you graduate from Parks you are an expert, airplane factory mechanic, and airport inspector will know that you are thoroughly trained. They know the advantages of Parks training and have confidence in Parks graduates.

THE VERY BEST EQUIPMENT

Parks equipment includes everything in modern plane plants: Wheelwells, Liberty, Centric, Vain, Hapson, Sams, C.K.'s, and other famous engines are demonstrated and explained in regular class room instruction.

YOU DO ACTUAL WORK ON AIR MOTORS

You use down the air motor and rebuild it. You test it under the eye of experienced instructors. You learn every operation of complete shop practice, including welding, brazing, metal working and woodworking.



On the Threshold of a Promising Career



206-N. N. Thacker Bldg.
ST. LOUIS, MO.
Cable Address: PARKAIR
Member Associated Chambers of Commerce

YOU WILL REBUILD AN AIRPLANE

The science of Aerodynamics is demonstrated, explained and proven for you in the actual building of an airplane. The four months course follows a carefully standardized curriculum with no dead lift unless the will produce within you the power to command big money in the great new industry.

WHEN YOU COME TO PARKS

You will find at Parks a comradely of spirit, a loyalty and pride, a courage and enthusiasm that has it's own standard—the heart of the air! In the dormitories and recreation rooms, the thrill and adventure of the sky are re-created upon the land for the healthy who are for the plane, from the start and wings the plane. He is a possessor of both health and spirit in the aviation industry—a position without which life and success—rewarded with high wages and opportunity. Now is the time. Send for our illustrated booklet, "The Man Who Tames the Plane!" In December and picture Parks Air College thoroughly. Fill in the coupon now.



Classroom from the Home of St. Louis

PARKS AIR COLLEGE, Inc.
206-N. N. Thacker Bldg.
St. Louis, Mo.

Send me "The Man Who Tames the Plane," and full information of your special offer.

Name _____

Address _____



The aircraft industry knows the Bohn Ring True Bearing is a safe bearing.

This product is specified by all the leading engine makers because they know of Bohn's wide bearing knowledge. The substantial quality of which you make one purchased—the scientific handling of the various bearings—the precision and understanding of the design—all combine to place this organization in a more advantageous position in a bearing world.

"You're only with Bohn Ring True Bearings!" has become a slogan among pilots.

Alvin D. Brown
BOHN ALUMINUM & BRASS CORP.
BIRMINGHAM

New York Chicago Philadelphia
Cleveland Pittsburgh





THE NEW PAN-AMERICAN COMMERCE

Into a land where transportation has been typified by the ox-cart, Pan-American Airways has brought the spirit of aviation.

The pioneer flight of Colonel Charles A. Lindbergh to Panama in a "Wasp" powered Sikorsky Amphibian, has opened up the wonderland of the West Indies and Central America. Travellers from the North, pleasure bent, or in the interests of commerce, now have available swift and comfortable transportation to this land rich in natural resources and historical interest.

As the West Indian traveller boards the giant Fokker or Sikorsky plane at Miami, he is sure that he is flying with the best possible equipment. The combination of multi-engine security with Pratt and Whitney dependability insures arrival at the destination in schedule time.



THE
PRATT & WHITNEY AIRCRAFT CO.
HARTFORD CONNECTICUT

Wasp & Hornet ENGINE